

Printing date 05/07/2012

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

• Trade name: <u>CLEARFIL TRI-S BOND PLUS (CLEARFIL S³ BOND PLUS)</u> CLEARFIL TRI-S BOND PLUS Single Dose (CLEARFIL S³ BOND PLUS Single Dose)

- Article number: US154-172
- · Application of the substance / the preparation Dental bonding material

· Details of the supplier of the safety data sheet

- Manufacturer: Kuraray Noritake Dental Inc.
 1621 Sakazu, Kurashiki, Okayama 710-0801, Japan
- Contact information: Kuraray America, Inc.
 33 Maiden Lane, 6th Floor, New York, NY 10038 U.S.A.
 Tel: 800-879-1676
 Fax: 888-700-5200
 Website: www.kuraraydental.com

2 Composition/information on ingredients

\cdot Chemical characterization: Single Component

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
1565-94-2	bisphenol A diglycidylmethacrylate	🚸 H315; H319	15-35%
868-77-9	2-hydroxyethyl methacrylate	🚸 H315; H319; H317	10-35%
64-17-5	ethanol	🚸 H225	<20%
7681-49-4	sodium fluoride	🚸 H301; 🚸 H315; H319	<0.1%

· Other ingredients:

10-Methacryloyloxydecyl dihydrogen phosphate Hydrophilic aliphatic dimethacrylate Hydrophobic aliphatic methacrylate Colloidal silica dl-Camphorquinone

Accelerators Initiators

Water

3 Hazards identification

\cdot Classification of the substance or mixture

	GHS02 Flame
H225	Highly flammable liquid and vapour.
(!	GHS07
H315	Causes skin irritation.
H319	Causes serious eye irritation.
	May cause an allergic skin reaction. ication according to Directive 67/548/EEC or Directive 1999/45/EC
	ritant



Printing date 05/07/2012

Reviewed on 04/01/2012

Trade name: CLEARFIL TRI-S BOND PLUS (CLEARFIL S³ BOND PLUS) CLEARFIL TRI-S BOND PLUS Single Dose (CLEARFIL S³ BOND PLUS Single Dose)

	LANKI ILI INI-5 DOND I LOS Single Dose (CLEAREIL 5 DOND I LOS Single Dose)
	(Contd. of page 1)
Highly :	flammable
Highly flamn	
	concerning particular hazards for human and environment:
	has to be labelled due to the calculation procedure of international guidelines.
· Classification	
	ation was made according to the latest editions of international substances lists, and expanded
upon from co	mpany and literature data.
Label elemen	
GHS label el	
	s classified and labelled according to the Globally Harmonized System (GHS).
Signal word	Danger
0	
	rmining components of labelling:
2-hydroxyeth Hazard state	yl methacrylate
	flammable liquid and vapour.
	skin irritation.
	serious eye irritation.
	use an allergic skin reaction.
· Precautional	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P305+P301+	P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
1000110011	present and easy to do. Continue rinsing.
P321	Specific treatment (see on this label).
P501	Dispose of contents/container in accordance with local/regional/national/international
~	regulations.
Classification	
NFPA rating	gs (scale 0 - 4)
	Health = 1
	Fire = 3
	Reactivity $= 0$
HMIS-rating	gs (scale 0 - 4)
	fieduli – 1
FIRE 3	
	Keacuvity – 0
First aid n	neasures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Do not induce vomiting; immediately call for medical help.

(Contd. on page 3) USA



Printing date 05/07/2012

Reviewed on 04/01/2012

Trade name: CLEARFIL TRI-S BOND PLUS (CLEARFIL S³ BOND PLUS) CLEARFIL TRI-S BOND PLUS Single Dose (CLEARFIL S³ BOND PLUS Single Dose)

(Contd. of page 2)

If symptoms persist consult doctor.

5 Firefighting measures

- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment:

Wear self-contained respiatory protective device.

Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 Storage:
- \cdot Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8°C).
- Information about storage in one common storage facility: Store away from oxidizing agents.
- Store away from reducing agents.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight.
- \cdot Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

 \cdot Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

- USA -



Printing date 05/07/2012

· Change in condition

· Flash point:

Melting point/Melting range: Boiling point/Boiling range: Reviewed on 04/01/2012

(Contd. on page 5)

USA

Trade name: CLEARFIL TRI-S BOND PLUS (CLEARFIL S³ BOND PLUS) CLEARFIL TRI-S BOND PLUS Single Dose (CLEARFIL S³ BOND PLUS Single Dose)

	(Contd. of page 3)
· Components with limit values that requi	re monitoring at the workplace:
64-17-5 ethanol	
PEL 1900 mg/m³, 1000 ppm REL 1900 mg/m³, 1000 ppm TLV 1880 mg/m³, 1000 ppm	
Additional information: The lists that we	re valid during the creation were used as basis.
 Personal protective equipment: General protective and hygienic measure Immediately remove all soiled and contami Wash hands before breaks and at the end o Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution u use respiratory protective device that is ind Protection of hands: 	inated clothing. f work. Ise respiratory filter device. In case of intensive or longer exposure
Protective gloves	
 Due to missing tests no recommendation to the chemical mixture. Selection of the glove material on consider degradation Material of gloves The selection of the suitable gloves does not and varies from manufacturer to manufacture resistance of the glove material can not be application. Penetration time of glove material 	and resistant to the product/ the substance/ the preparation. the glove material can be given for the product/ the preparation/ ation of the penetration times, rates of diffusion and the ot only depend on the material, but also on further marks of quality urer. As the product is a preparation of several substances, the calculated in advance and has therefore to be checked prior to the d out by the manufacturer of the protective gloves and has to be
9 Physical and chemical properties	
 General Information Appearance: Form: Color: Odor: 	Liquid Yellow Alcohol-like
· pH-value:	2.3

-114.5 °C (ethanol) 78 °C (ethanol)

13 °C (ethanol)



Printing date 05/07/2012

Reviewed on 04/01/2012

Trade name: CLEARFIL TRI-S BOND PLUS (CLEARFIL S³ BOND PLUS) CLEARFIL TRI-S BOND PLUS Single Dose (CLEARFIL S³ BOND PLUS Single Dose)

	(Contd. of page 4
· Ignition temperature:	425.0 °C (ethanol)
• Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
· Explosion limits:	
Lower:	3.5 Vol % (ethanol)
Upper:	15.0 Vol % (ethanol)
· Vapor pressure:	59.0 hPa (20°C, ethanol)
· Density:	1.1 g/cm ³
· Vapour density	1.6 g/cm ³ (ethanol, air=1)
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Segregation coefficient (n-octonol/water): -0.32 (ethanol)
Other information	No further relevant information available.

10 Stability and reactivity

· Thermal decomposition / conditions to be avoided:

- No decomposition if used and stored according to specifications.
- Incompatible materials: No further relevant information available.
- \cdot Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

· Acute toxicity:

· LD/LC50 values that are relevant for classification:		
868-77-9 2-hydroxyethyl methacrylate		
Oral	LD50	4680 mg/kg (guinea pig)
		3275 mg/kg (mouse)
		5050 mg/kg (rat)
64-17-5 ethanol		
Oral	LD50	3450 mg/kg (mouse)
		7060 mg/kg (rat)
Inhalative	LC50/4 h	20000 mg/l (rat)
	LD50	3600 mg/kg (rat - intraperioneal)
. Primary irritant effect.		

• Primary irritant effect:
• on the skin: Irritant to skin and mucous membranes.

- on the eye: Irritating effect.
- Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

12 Ecological information

• Aquatic toxicity: No further relevant information available.

(Contd. on page 6)

USA



Printing date 05/07/2012

Reviewed on 04/01/2012

Trade name: CLEARFIL TRI-S BOND PLUS (CLEARFIL S³ BOND PLUS) CLEARFIL TRI-S BOND PLUS Single Dose (CLEARFIL S³ BOND PLUS Single Dose)

Material Safety Data Sheet acc. to ISO/DIS 11014

 $(Contd. \ of \ page \ 5)$

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- \cdot Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information	
· UN-Number	
· DOT	UN1170
· ADR, IMDG, IATA	1170
· UN proper shipping name	
· ADR	1170 ETHANOL (ETHYL ALCOHOL), mixture
· IMDG	ETHANOL (ETHYL ALCOHOL), mixture
·IATA	ETHANOL, mixture
· Transport hazard class(es)	
· DOT, IMDG, IATA	
PLANAELE COID	
· Class	3 Flammable liquids.
· Label	3
ADR	
· Class	3 Flammable liquids
· Label	3
· Packing group	
· DOT, ADR, IMDG, IATA	II
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Flammable liquids
· Danger code (Kemler):	33
	(Contd. on page



Printing date 05/07/2012

Reviewed on 04/01/2012

Trade name: CLEARFIL TRI-S BOND PLUS (CLEARFIL S3 BOND PLUS) CLEARFIL TRI-S BOND PLUS Single Dose (CLEARFIL S³ BOND PLUS Single Dose)

(Contd. of page 6)

· EMS Number:

F-E,S-D

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

· UN "Model Regulation":

Not applicable.

UN1170; ETHANOL (ETHYL ALCOHOL), mixture; 3; II

15 Regulatory information

· Sara	
--------	--

· Sara
· Section 355 (extremely hazardous substances):
None of the ingredient is listed.
· Section 313 (Specific toxic chemical listings):
None of the ingredients is listed.
· TSCA (Toxic Substances Control Act):
All ingredients are listed.
· Proposition 65
· Chemicals known to cause cancer:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.
· Chemicals known to cause developmental toxicity:
64-17-5 ethanol
· Cancerogenity categories
· EPA (Environmental Protection Agency)
None of the ingredients is listed.
· IARC (International Agency for Research on Cancer)
None of the ingredients is listed.
· TLV (Threshold Limit Value established by ACGIH)
64-17-5 ethanol A4
· NIOSH-Ca (National Institute for Occupational Safety and Health)
None of the ingredients is listed.
· OSHA-Ca (Occupational Safety & Health Administation)
None of the ingredients is listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Version: 2

· Relevant phrases

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H315 Causes skin irritation.

- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.