

Printing date 09/11/2014 Version number 3

Reviewed on 09/10/2014

1 Identification

- · Product identifier
- · Trade name: Adhese Universal
- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Light-curing, single-component dental adhesive
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ivoclar Vivadent Inc.

175 Pineview Drive, Amherst, N.Y. 14228

USA

Tel. +1 800 533 6825

Fax +1 716 691 2285

Ivoclar Vivadent Inc.

1-6600 Dixie Road

Mississauga, Ontario

L5T 2Y2

Canada

Phone: +1 905 670 8499

Fax: +1 905 670 3102

- · Information department: Quality Assurance / Regulatory Affairs
- · Emergency telephone number:

24 Hour Emergency Assistance:

Emergency-Call USA - Infotrac: 1-800-535-5053 Emergency-Call Canada - Canutec: 1-613-996-6666

General MSDS Assistance: US: 1-800-533-6825 Canada: 1-800-263-8182

2 Hazard(s) identification

- · Classification of the substance or mixture
- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Irritant

Irritating to eyes and skin. May cause sensitisation by skin contact.

Flammable.

· Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- · Label elements
- $\cdot \textit{Labelling according to EU guidelines:} \\$

Medical devices as defined in Directive 93/42/EEC and which are invasive or used in direct physical contact with the human body, are exempted from the provisions of Dangerous Preparations Directive 1999/45/EC usually if they are in the finished state and intended for the final user.

(Contd. on page 2)

Printing date 09/11/2014 Version number 3 Reviewed on 09/10/2014

Trade name: Adhese Universal

(Contd. of page 1)

· Code letter and hazard designation of product:



Irritant

· Hazard-determining components of labeling:

2-hydroxyethyl methacrylate bisphenol A diglycidyl ether dimethacrylate decamethylene dimethacrylate Methacrylated phosphoric acid ester 2-dimethylaminoethyl methacrylate

· Risk phrases:

Flammable.

Irritating to eyes and skin.

May cause sensitisation by skin contact.

· Safety phrases:

Keep container tightly closed.

Keep away from sources of ignition - No smoking.

Avoid contact with skin.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Wear suitable gloves.

This material and its container must be disposed of as hazardous waste.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1 Fire = 3Reactivity = 0

· HMIS-ratings (scale 0 - 4)



1 *Health* = 1 3 *Fire* = 3

REACTIVITY 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
868-77-9	2-hydroxyethyl methacrylate	20-<25%
1565-94-2	bisphenol A diglycidyl ether dimethacrylate	20-<25%
64-17-5	ethanol	10-<25%
6701-13-9	decamethylene dimethacrylate	2.5-<10%
85590-00-7	Methacrylated phosphoric acid ester	2.5-<10%

(Contd. on page 3)

Printing date 09/11/2014 Version number 3 Reviewed on 09/10/2014

Trade name: Adhese Universal

	(C	Contd. of page 2)
10373-78-1	campherquinone	1-<2.5%
2867-47-2	2-dimethylaminoethyl methacrylate	1-<2.5%
128-37-0	2,6-di-tert-butyl-p-cresol	0.1-<1%

4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

 $CO2,\ extinguishing\ powder\ or\ water\ spray.\ Fight\ larger\ fires\ with\ water\ spray\ or\ alcohol\ resistant\ foam.$

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

Only adequately trained personnel should handle this product.

For use in dentistry only.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 4)

Printing date 09/11/2014 Version number 3 Reviewed on 09/10/2014

Trade name: Adhese Universal

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from exposure to the light.

Keep receptacle tightly sealed.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

64-17-5 ethanol

PEL Long-term value: 1900 mg/m³, 1000 ppm REL Long-term value: 1900 mg/m³, 1000 ppm TLV Short-term value: 1880 mg/m³, 1000 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Usual hygienic measures for dental practice.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

 \cdot Not suitable are gloves made of the following materials:

Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates.


(Contd. on page 5

Printing date 09/11/2014 Version number 3 Reviewed on 09/10/2014

Trade name: Adhese Universal

(Contd. of page 4)

· Eye protection:



9 Physical and chemical properties

T C			11.	, , ,
· Information o	on basic	physical	and chemical	l properties

· General Information

· Appearance:

· pH-value:

Form: Liquid Color: Yellow

Odor: Characteristic
 Odour threshold: Not determined.

· Change in condition

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: Undetermined.

• Flash point: 36 °C (97 °F) (ASTM D7094)

· Auto igniting: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

Not applicable.

· Explosion limits:

Lower:Not determined.Upper:Not determined.

· Vapor pressure: Not determined.

Density: Not determined.
 Relative density Not determined.
 Vapour density Not determined.
 Evaporation rate Not determined.

· Solubility in / Miscibility with

Water: Fully miscible.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

• Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable under normal handling and storage conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid

Protect from exposure to the light.

(Contd. on page 6)

Printing date 09/11/2014 Version number 3 Reviewed on 09/10/2014

Trade name: Adhese Universal

(Contd. of page 5)

Keep away from heat and direct sunlight.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International	Agency for	Research on	Cancer)
-----------------------	------------	-------------	---------

64-17-5 ethanol

128-37-0 2,6-di-tert-butyl-p-cresol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- $\cdot \textit{Bioaccumulative potential No further relevant information available}.$
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

(Contd. on page 7)

Printing date 09/11/2014 Version number 3 Reviewed on 09/10/2014

Trade name: Adhese Universal

(Contd. of page 6)

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, ADR, IMDG, IATA	UN1170
UN proper shipping name DOT ADR IMDG IATA	Ethanol solutions 1170 Ethanol solutions (Ethyl alcohol solutions) ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) ETHANOL SOLUTION
Transport hazard class(es)	
DOT	
Class Label	3 Flammable liquids 3
ADR	2 (E1) Elemmahla lianida
Class Label	3 (F1) Flammable liquids 3
IMDG, IATA Class Label	3 Flammable liquids 3
Packing group DOT, ADR, IMDG, IATA	III
Environmental hazards: Marine pollutant:	No
Special precautions for user Danger code (Kemler): EMS Number:	Warning: Flammable liquids 30 F-E,S-D

(Contd. on page 8)

Printing date 09/11/2014 Version number 3 Reviewed on 09/10/2014

Trade name: Adhese Universal

	(Contd. of page
· Transport/Additional information:	
· ADR	
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml

15 Regulatory information

- $\cdot \textit{Safety, health and environmental regulations/legislation specific for the substance or \textit{mixture}}$
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

64-17-5 ethanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

 64-17-5
 ethanol
 A3

 128-37-0
 2,6-di-tert-butyl-p-cresol
 A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Product related hazard information:

Medical devices as defined in Directive 93/42/EEC and which are invasive or used in direct physical contact with the human body, are exempted from the provisions of Dangerous Preparations Directive 1999/45/EC usually if they are in the finished state and intended for the final user.

(Contd. on page 9)

Printing date 09/11/2014 Version number 3 Reviewed on 09/10/2014

Trade name: Adhese Universal

(Contd. of page 8)

· Hazard symbols:



Irritant

· Hazard-determining components of labeling:

2-hydroxyethyl methacrylate bisphenol A diglycidyl ether dimethacrylate decamethylene dimethacrylate Methacrylated phosphoric acid ester 2-dimethylaminoethyl methacrylate

· Risk phrases:

Flammable.

Irritating to eyes and skin.

May cause sensitisation by skin contact.

· Safety phrases:

Keep container tightly closed.

Keep away from sources of ignition - No smoking.

Avoid contact with skin.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Wear suitable gloves.

This material and its container must be disposed of as hazardous waste.

· National regulations:

· Other regulations, limitations and prohibitive regulations

The product is a medical device according to the Directive 93/42/EEC.

This product is classified as a medical device under US and Canadian regulations and has been reviewed by the US Food and Drug Administration and Health Canada.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Date of preparation / last revision 09/11/2014 / 2
- * * Data compared to the previous version altered.

-USA