MYDENT INTERNATIONAL

80 Suffolk Court

Hauppauge, NY 11788

631-434-7760

Date Prepared: 4/1/2011

DEFEND+PLUS/DEFEND Prophy Paste

DEFEND Item Code# PP-3000 - PP-3800/ PP-1000 - PP-1800

> HAZARDRATING 4 = EXTREME = HIGH = MODERATE = SLIGHT = INSIGNIFICANT

MATERIAL SAFETY DATA



Product Identification

Product Name:

Dental Prophylaxis Paste with Fluoride Synonyms:

Hazardous Ingredients

Hazardous Components:

Fluoride Ion Sodium Fluoride Active **% (optional)**: 1.23%

Physical/Chemical Characteristics

DOES NOT APPLY

Fire and Explosion Hazard Data

DOES NOT APPLY

Reactivity Data

Stability: Stable

Incompatibility (Materials to Avoid): N/A

Hazardous Decomposition of Byproducts: N/A

Hazardous Polymerization: N/A

Conditions to Avoid: N/A

Health Hazard Data

Route(s) of Entry:

Inhalation? N/A Skin: N/A Ingestion? Yes Health Hazards (Acute and Chronic):

N/A Monographs? N/A

Signs and Symptoms of Exposure : N/A

Emergency and First Aid Procedure:

Eye: Flush with water. If irritation persists contact

physician.

Ingestion: Induce vomiting, consult physician.

Precautions for Safe Handling and Use

Steps to Be Taken In Case Material Is

Released or Spilled: N/A Waste Disposal Method: N/A

Precautions to Be Taken In Handling

and Storing: N/A

Other Precautions: N/A

Control Measures

DOES NOT APPLY

DENTAL PROPHYLAXIS PASTE

CONTAINS:

Dental Prophylaxis Paste contains a unique blend polishing and cleaning agents. Dental Prophylaxis Paste is for professional use only and is designed for application during standard dental practice hygiene procedures.

Contains fluoride at a concentration of 1.23% fluoride ion.

For cleaning and polishing procedures as part of professionally administered prophylaxis treatment.

NOTE: Prophylaxis pastes containing fluoride are not considered a replacement for other forms of fluoride therapy.

PRECAUTIONS:

Excessive ingestion of fluoride can nausea. Dental Prophylaxis Paste should be expectorated and NOT SWALLOWED.

SUGGESTED

APPLICATIONS:

Medium: Normal cleansing, polishing

and plaque removal.

Course: Heavy stain and plaque removal. Stain build-up due to heavy smoking and enamel polishing.

ADMINISTRATION:

For use only by individuals who are professionally trained in the performance of dental prophylaxis.

DIRECTIONS FOR USE:

BULK JARS: Remove sufficient paste for one procedure and place in a clean dappen dish or other suitable container.

UNIT DOSE: Each unit dose cup contains enough prophy paste for one (1) prophylaxis procedure.

Use any commercially available prophy angle, rubber cup combination. To fill the cup press the cup face into the paste while running the angle at low speed. To avoid overheating the tooth surface, maintain sufficient paste in the cup throughout the procedure. Evacuate saliva to avoid swallowing and/or excessive dilution of the paste.

CAUTION:

U.S. Federal Law prohibits dispensing without prescription.

SPECIAL INFORMATION

24 hour EMERGENCY PHONE #: CHEMTREC (800) 424-9300

Note: MYDENT INTERNATIONAL has compiled this data based on the research and input of qualified experts in the field of microbiology, chemistry and quality assurance. The data are not to be taken as a warranty or representation for which MYDENT INTERNATIONAL assumes legal responsibility. They are offered only for your consideration and verification.