

Page 1/6

Safety Data Sheet acc. to OSHA HCS

Printing date 05/12/2015

Reviewed on 05/12/2015

Tel.: 0800 4372522

1 Identification

- · Product identifier
 - Trade name: Flexitime (base + cat)

Easy Putty, Heavy Tray, Monophase, Correct Flow, Dynamix Putty, Dynamix Heavy Tray, Dynamix Monophase

- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Dental impression material
- · Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Heraeus Kulzer GmbH

Grüner Weg 11, D-63450 Hanau

· Information department:

Marc Henn

Tel. +1 (574) 2995444 / Fax: +1 (574) 2912542

e-mail: marc.henn@kulzer-dental.com

· Emergency telephone number:

Emergency CONTACT (24-Hour-Number) GBK/Infotrac ID 105860: (domestic) 1 800 535 5053 or international (001) 352 323 3500

2 Hazard(s) identification

· Classification of the substance or mixture

H350 May cause cancer.

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.

- · Label elements
 - GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Quartz (SiO2)

· Hazard statements

May cause cancer.

Causes damage to organs through prolonged or repeated exposure.

· Precautionary statements

Do not breathe dust/fume/gas/mist/vapours/spray.

Use personal protective equipment as required.

Wash thoroughly after handling.

IF exposed or concerned: Get medical advice/attention.

Storė locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)



Page 2/6

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/12/2015 Reviewed on 05/12/2015

Trade name: Flexitime (base + cat)

· Classification system

· NFPA ratings for USA (scale 0-4)



Health = 0 Fire = 0 Reactivity = 0

· HMIS-Ratings (Scale 0-4)



Health = *0 Fire = 0 Reactivity = 0

- · Results of PBT and vPvB assessment
 - · **PBT:** Not applicable.
 - · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
 - · Description:
 - 2-component silicone impression material comprising base paste and matching catalyst paste for addition curing
 - · Dangerous components:

1317-65-3 Calciumcarbonat, nat., gem.

5-10%

4 First-aid measures

- · Description of first aid measures
 - · General information No special measures required.
 - · After skin contact Generally the product does not irritate the skin.
 - · After eye contact Rinse opened eye for several minutes under running water.
 - · After swallowing

Rinse out mouth and then drink plenty of water.

Seek immediate medical advice.

· Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
 - · Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
 - · Protective equipment: No special measures required.
 - · Additional information -

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

(Contd. on page 3)

USA -



Page 3/6

Safety Data Sheet acc. to OSHA HCS

Printing date 05/12/2015

Reviewed on 05/12/2015

Trade name: Flexitime (base + cat)

(Contd. of page 2)

- · Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up:
- Absorb with liquid binding material (diatomite, universal binders, for small amounts tissues).
- · Reference to other sections

See Section 13 for disposal information.

See Section 8 for information on personal protection equipment.

-

7 Handling and storage

- · Precautions for safe handling No special measures required.
 - · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
 - · Storage
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - · Information about storage in one common storage facility: Not required.
 - · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
 - · Components with limit values that require monitoring at the workplace:

1317-65-3 Calciumcarbonat, nat., gem.

PEL () 15*; 5** mg/m³

*Total dust **Respirable fraction

REL () 10*; 5** mg/m³

*Total dust **Respirable fraction

TLV () 10 mg/m³ (e)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
 - Personal protective equipment
 - · General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

- Breathing equipment: Not required.
- · Protection of hands: Not required.
 - · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable: PVC or PE gloves
- · Eye protection: Not absolutely necessary.
- · Body protection: Light weight protective clothing

...



Page 4/6

Safety Data Sheet acc. to OSHA HCS

Printing date 05/12/2015 Reviewed on 05/12/2015

Trade name: Flexitime (base + cat)

(Contd. of page 3)

9 Pn	ysıcaı	ana	cnemicai	pro	perties	
						Ξ
						7

· Information on basic physical and chemical properties

General Information

Appearance:

. Form: Pastv

Color: According to product specification

· Odor: Odorless

· Change in condition

· Melting point/Melting range: undetermined · Boiling point/Boiling range: undetermined

· Flash point: Not applicable

· Auto igniting: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

· Density at 20 °C (68 °F): 1.6 g/cm3 (13.352 lbs/gal)

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix · Other information No further relevant information available.

10 Stability and reactivity

- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: none

11 Toxicological information

- · Information on toxicological effects
 - Acute toxicity:
 - Primary irritant effect:
 - on the skin: No irritant effect.
 - on the eye: No irritating effect.
 - · Sensitization: No sensitizing effects known.
 - Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer) 14808-60-7 Quartz (SiO2)

K

1

· NTP (National Toxicology Program) 14808-60-7 Quartz (SiO2)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 5)



Page 5/6

Safety Data Sheet acc. to OSHA HCS

Printing date 05/12/2015 Reviewed on 05/12/2015

Trade name: Flexitime (base + cat)

(Contd. of page 4)

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
 Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
 - · Additional ecological information:
 - General notes:
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
 Results of PBT and vPvB assessment
- - · PBT: Not applicable.
 - · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
 - Recommendation

Small quantities can be polymerized with the matching system component(s) and the cured solid material can be disposed of with the regular garbage. Larger quantities must be disposed of following the regulations of the local authorities.

- · Uncleaned packagings:
 - · Recommendation: Disposal must be made according to official regulations.

UN-Number		
· DOT, ADR, ADN, IMDG, IATA	Void	
UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA · Class	Void	
Packing group · DOT, ADR, IMDG, IATA	Void	
Environmental hazards: • Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
· Transport/Additional information:	-	

(Contd. on page 6)



Page 6/6

Safety Data Sheet acc. to OSHA HCS

Printing date 05/12/2015

Reviewed on 05/12/2015

Trade name: Flexitime (base + cat)

(Contd. of page 5)

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
 - SARA Section 355 (extremely hazardous substances)

None of the ingredients is listed.

· Cancerogenity categories

TLV (Threshold Limit Value established by ACGIH)

14808-60-7 Quartz (SiO2)

A2

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labeling:

Quartz (SiO2)

Hazard statements

May cause cancer.

Causes damage to organs through prolonged or repeated exposure.

Precautionary statements

Do not breathe dust/fume/gas/mist/vapours/spray.

Use personal protective equipment as required.

Wash thoroughly after handling.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Date of preparation / last revision 05/12/2015 / -

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

Carc. 1A: Carcinogenicity, Hazard Category 1A STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1

* Data compared to the previous version altered.