

Page: 1 of 6 Printed: 07/27/2021 Revision: 07/27/2021

Supersedes Revision: 07/13/2017

Phone Number:

1 (888)843-3343

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: BluTube

Company Name: ProEdge Dental Products

7042 South Revere Parkway

Suite 400

Centennial, CO 80112

Web site address: www.proedgedental.com

Emergency Contact: 1 (866)290-1830

Intended Use: Dental Unit Water Purification Cartridge

2. HAZARDS IDENTIFICATION

Acute Toxicity: Inhalation, Category 4
Acute Toxicity: Skin, Category 4



GHS Signal Word: Warning

GHS Hazard Phrases: H312+332 - Harmful in contact with skin or if inhaled.

GHS Precautionary Phrases: P261 - Avoid breathing dust/mist.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves.

GHS Response Phrases: P302+352 - IF ON SKIN: Wash with plenty of soap and water. P362+364 - Take off

contaminated clothing and wash it before reuse.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

GHS Storage and Disposal

Phrases:

P501 - Dispose of contents and containers in accordance with local, regional, national,

and international regulations.

Additional Hazards

Information

BluTube Dental Unit Waterline Purification Cartridge contains iodinated resin; however, it is contained in a sealed cartridge. The dental patient and staff will be exposed to the water that passes through the iodinated resin which is only expected to contain between 1-5 ppm of iodine. Therefore, no health hazards are expected during the normal use of

this product.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| CAS# | Hazardous Components (Chemical Name) | Concentration | |
|------------|---|---------------|--|
| 60177-39-1 | Functionalized styrene/divinylbenzene copolymer | 23.0 -29.0 % | |
| 7553-56-2 | lodine | 40.0 -60.0 % | |
| 7732-18-5 | Water | 19.0 -24.0 % | |

Additional Composition

Information:

BluTube Dental Unit Waterline Purification Cartridge contains iodinated resin; however, it is contained in a sealed cartridge. The dental patient and staff will be exposed to the water that passes through the iodinated resin which is only expected to contain between 1-5 ppm of iodine. Therefore, no health hazards are expected during the normal use of this product.



Printed: 07/27/2021 Revision: 07/27/2021

Page: 2 of 6

Supersedes Revision: 07/13/2017

4. FIRST AID MEASURES

Emergency and First Aid

Procedures:

In Case of Inhalation: Not expected to present a significant inhalation hazard under anticipated conditions of

use. If breathed in, move person into fresh air. Get medical aid if irritation develops and

persists.

In Case of Skin Contact: Not expected to be a primary route of exposure. Wash off with soap and plenty of water.

Remove and wash contaminated clothing before reuse. If skin irritation or rash occurs,

seek medical advice/attention.

In Case of Eye Contact: Not expected to be a primary route of exposure. Immediately flush eyes with plenty of

water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Get medical attention if irritation persists.

In Case of Ingestion: Not expected to present a significant ingestion hazard under anticipated conditions of

use. Never give anything by mouth to an unconscious person. Rinse mouth with water.

Consult a physician.

Signs and Symptoms Of

Exposure:

The most important known symptoms and effects are described in the labelling (see

section 2) and/or in section 11

Note to Physician: Treat symptomatically and supportively. Show this safety data sheet to the doctor in

attendance.

5. FIRE FIGHTING MEASURES

Flash Pt: No data.

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: 800.60 F (427.0 C)

Suitable Extinguishing Media: Not flammable. Use extinguishing agent suitable for type of surrounding fire. Use water

fog, dry powder, carbon dioxide, appropriate foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH approved (or equivalent), and full protective gear. Do not breathe vapors/fumes from fires or vapors from decomposition. Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. Runoff from fire control or dilution water

may cause pollution.

Flammable Properties and

Hazards:

Move container from fire area if it can be done without risk. Reaction with acetaldehyde or

acetylene can be violent or explosive.

Hazardous Combustion

Products:

Fire conditions can result in the formation of carbon monoxide and carbon dioxide, iodine

vapors, and oxides of: nitrogen.

6. ACCIDENTAL RELEASE MEASURES

Protective Precautions, Protective Equipment and Emergency Procedures: Use proper personal protective equipment as indicated in Section 8.

Environmental Precautions: Do not let product enter storm drains, storm sewers, watersheds or water systems unless

removal, flush contaminated area thoroughly with water.

authorized.

Steps To Be Taken In Case Material Is Released Or

Spilled:

Ensure adequate ventilation. Remove all sources of ignition. Prevent further leakage or spillage if safe to do so. Spills produce a slipping hazard. Pick up and arrange disposal without creating dust. Sweep up and shovel. Spilled material should be considered contaminated and not be used. Keep in suitable, closed containers for disposal. After



Printed: 07/27/2021 Revision: 07/27/2021

Page: 3 of 6

Supersedes Revision: 07/13/2017

7. HANDLING AND STORAGE

Precautions To Be Taken in

Handling:

Use with adequate ventilation. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Take precautionary measures against static discharges. Avoid contact with

water until ready for use.

Precautions To Be Taken in

Storing:

Store in a cool, dry, well-ventilated area away from incompatible substances. Store between 32F - 104F. Do not store in direct sunlight. Store in original container. Keep

container tightly closed. Do not allow to dry out during storage.

Other Precautions: Handle in accordance with good industrial hygiene and safety practices. Keep out of

reach of children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| CAS# | Chemical Name | Jurisdiction | Recommended Exposure Limits | Notations |
|-----------|---------------|--------------|-----------------------------|-----------|
| 7553-56-2 | Iodine | ACGIH TLV | TLV: 0.01 (IFV) ppm | |
| | | | STEL: 0.1 ppm (V) | |
| | | | CEIL: 0.1 ppm | |
| | | OSHA PELs | CEIL: 0.1 ppm | |

Respiratory Equipment

(Specify Type):

Ensure adequate ventilation.

Eye Protection: Safety glasses with side shields, if contact is likely.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure.

Other Protective Clothing: Wear appropriate protective clothing to minimize contact with skin.

Engineering Controls

Facilities storing or utilizing this material should be equipped with an eyewash facility, and

(Ventilation etc.):

a safety shower is recommended.

Work/Hygienic/Maintenance

Practices:

Handle in accordance with good industrial hygiene and safety practice. Wash hands

before breaks and at the end of workday.

Environmental Exposure

Controls:

Do not let product enter storm drains, storm sewers, watersheds or water systems unless

authorized.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States: [] Gas [] Liquid [X] Solid

Appearance and Odor: Appearance: Blue cartridge containing iodinated resin beads.

pH:NeutralMelting Point:No data.Boiling Point:No data.Flash Pt:No data.Evaporation Rate:No data.

Flammability (solid, gas): Will burn only after evaporation of liquid.

Explosive Limits: LEL: No data. UEL: No data.

Vapor Pressure (vs. Air or

mm Hg):

No data.

Vapor Density (vs. Air = 1): No data.

Specific Gravity (Water = 1): No data.

Density: No data.

Solubility in Water: No data.



Printed: 07/27/2021 Revision: 07/27/2021

Page: 4 of 6

Supersedes Revision: 07/13/2017

Octanol/Water Partition

No data.

Coefficient:

Autoignition Pt: 800.60 F (427.0 C)

Decomposition Temperature: No data. **Viscosity:** No data.

10. STABILITY AND REACTIVITY

Reactivity: Reaction with acetaldehyde or acetylene can be violent or explosive. May be corrosive to

metals.

Stability: Unstable [] Stable [X]

Conditions To Avoid - Keep from freezing - product stability may be affected. Avoid temperatures above 45°C.

Instability: Do not store in direct sunlight.

Incompatibility - Materials To Strong oxidizing agents. Strong reducing agents, Acetylene, Acetaldehyde, Ammonia,

Avoid: Nitric acid, Alkali metals, Powdered metals.

Hazardous Decomposition or Fire conditions can result in the formation of carbon monoxide and carbon dioxide, iodine

Byproducts: vapors, and oxides of: nitrogen.

Possibility of Hazardous

Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - No data available.

Hazardous Reactions:

11. TOXICOLOGICAL INFORMATION

Toxicological Information: Epidemiology: No information available.

Teratogenicity: No information available. Reproductive Effects: No information available.

Mutagenicity: No information available. Neurotoxicity: No information available. Other Studies: CAS# 7553-56-2:

Acute toxicity, LD50, Oral, Rat, 1530 mg/kg.

Irritation or Corrosion: Harmful in contact with skin or if inhaled.

Symptoms related to Eye Contact: May cause irritation.

Toxicological Characteristics: Skin Contact: May cause skin irritation.

Ingestion: May cause gastrointestinal disturbances. May cause irritation.

Inhalation: Not a likely route of exposure.

Sensitization: Prolonged or repeated exposure may cause allergic reactions in certain sensitive

individuals.

Chronic Toxicological

Effects:

None known.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. ECOLOGICAL INFORMATION

General Ecological Environmental: No information available.

Information: Physical: No information available.

Other Studies: CAS# 7553-56-2:

LC50, Rainbow trout (Oncorhynchus mykiss), fry, 530 ug/L, 96H

LC50, Water Flea (Daphnia magna), 160 ug/L, 48H.

Results of PBT and vPvB

assessment:

PBT/vPvB assessment not available as chemical safety assessment not required/not

conducted.



Printed: 07/27/2021 Revision: 07/27/2021

Page: 5 of 6

Supersedes Revision: 07/13/2017

Persistence and

Not readily biodegradable.

Degradability:

Bioaccumulative Potential: No data available. **Mobility in Soil:** No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method:

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. Observe all federal, state, and local environmental regulations.

14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not regulated as a hazardous material.

DOT Hazard Class: UN/NA Number:

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not regulated as a hazardous material.

UN Number: Packing Group:

Hazard Class:

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not regulated as a hazardous material.

UN Number: Packing Group:

Hazard Class:

15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

| CAS# | Hazardous Components (Chemical Name) | S. 302 (EHS) | S. 304 RQ | S. 313 (TRI) |
|------------|---|--------------|-----------|--------------|
| 60177-39-1 | Functionalized styrene/divinylbenzene copolymer | No | No | No |
| 7553-56-2 | lodine | No | No | No |
| 7732-18-5 | Water | No | No | No |

| CAS# | Hazardous Components (Chemical Name) | Other US EPA or State Lists |
|------------|---|--|
| 60177-39-1 | Functionalized styrene/divinylbenzene copolymer | CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No |
| 7553-56-2 | lodine | CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: Title 8; MA Oil/HazMat: Yes; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: Yes - 1; SC TAP: No; WI Air: Yes |
| 7732-18-5 | Water | CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No |



Page: 6 of 6 Printed: 07/27/2021 Revision: 07/27/2021

Supersedes Revision: 07/13/2017

Regulatory Information: EPA Registration Number: 84020-2

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

CAUTION. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wear goggles and plastic gloves when handling. Wash thoroughly with soap and water after handling tablets and before eating, drinking, chewing gum, using tobacco or using the toilet.

16. OTHER INFORMATION

Revision Date: 07/27/2021 Previous revision: 07/13/2017

Hazard Rating System:

Flammability
Instability
Health
NFPA:
Special Hazard

Additional Information: Company Policy or Disclaimer: 07/27/2021/2021 Updated section(s) all

ProEdge Dental Products believes the above information to be accurate and represents the best information currently available. We make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. The information contained herein is offered in good faith and is intended only as a guide to the appropriate precautionary handling of the material/product by a properly trained person using the product. Regulatory requirements are subject to change and differ from one location to another. It is the buyer's (or user's) responsibility to ensure that its activities comply with Federal, State, and Local laws.