

26-Sept-2014

Issue Date

# SAFETY DATA SHEET

Version 1

**IDENTIFICATION** 1. **Product Identifier Product Name** FLEXACRYL POWDER Other means of identification SDS# 001 Product Code 0920, 0923, 0930, 0934, 0950, 0956, 0970, 0980, 1123, 1134, 1156 Recommended use of the chemical and restrictions on use **Recommended Use** Fabrication of denture relines Details of the supplier of the safety data sheet Supplier Address Lang Dental Mfg. Co., Inc. 175 Messner Dr. Wheeling, IL 60090 USA Emergency telephone number **Company Phone Number** 847-215-6622 **Emergency Telephone (INFOTRAC)** 352-323-3500 (International)

### 2. HAZARDS IDENTIFICATION

**Revision Date** 

### Classification

Skin sensitization

Category 1

800-535-5053 (North America)

Signal word

Warning

Hazard statements May cause an allergic skin reaction



Appearance

Fine, white or pink

Odor Faint odor in bulk

### Precautionary Statements – Prevention

Avoid breathing dust, fumes, gas, mist, vapors or spray.

Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves.

### **Precautionary Statements – Response**

If on skin, wash with plenty of soap and water. If skin irritation or rash occurs, get medical advice / attention. Wash contaminated clothing before reuse.

### **Precautionary Statements – Disposal**

Dispose of contents / container to an approved waste disposal plant.

#### Hazards not otherwise classified (HNOC)

Not applicable

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

ſ	Chemical Name	CAS No	Weight - %	Trade Secret
ſ	Polymer	9003-42-3	< 99	*
	Benzoyl peroxide	94-36-0	<2	*

\*Specific chemical weight has been withheld as a trade secret.

### **4. FIRST AID MEASURES**

#### First aid measures

Inhalation	Remove to fresh air. Keep at rest in a position comfortable for breathing, Get medical attention if discomfort persists.	
Eye contact	Rinse immediately with plenty of water, including under the eyelids, for at least 15 minutes. If irritation persists, get medical advice / attention.	
Ingestion	Do NOT induce vomiting. Drink plenty of water or milk immediately. If vomiting, continue to offer water or milk. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately and provide an estimate of when and how much material was ingested.	
Skin Contact	Wash with soap and water. If irritation persists, call a physician. Take off contaminated clothing and wash before reuse.	
Most important symptoms and effects, both acute and delayed		
Symptoms	Eyes, skin and respiratory tract may be irritated by gross overexposure to particulates. Eyes may be red, itchy, irritated or watering from overexposure. Ingestion of large amounts may be irritating if product is swallowed. May cause nausea, headache, vomiting or diarrhea.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		

### **Extinguishing Media**

Suitable:	Water, carbon dioxide (CO <sub>2</sub> ), dry chemical	
Unsuitable:	Avoid extinguishing methods which may generate	
	hazard and possible explosion hazard if exposed	

te dust clouds. Water stream can disperse dust in air producing a fire hazard and possible explosion hazard if exposed to ignition source.

#### Specific hazards arising from the chemical

For bulk size: Polymer dust is combustible. The explosive limits of the polymer particles suspended in air are approximately those of coal dust.

### Protective equipment and precautions for firefighters

Self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Personal precautions, protective equipment and emergency procedures				
Use personal protective equipment as required. Remove any contaminated clothing and wash thoroughly before reuse.				
See Section 12 for additional ecological information.				
ment and clean-up				
Prevent further leakage or spillage if safe to do so.				
Sweep up to avoid slipping hazard. Keep airborne particulates at a minimum when cleaning up spills. Clean up in accordance with all applicable regulations. Wash all affected areas with plenty of warm water and soap.				
7. HANDLING AND STORAGE				
Use only in well-ventilated areas. Avoid contact with skin, eyes or clothing. Avoid breathing dust or fume. Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.				
ding any incompatibilities				
Keep containers tightly closed to prevent water absorption and contamination. Store in a dry, cool and well-ventilated place away from direct sunlight or other sources of light or intense heat. Preferable storage temperature not to exceed 35°C.				
Keep in original container.				
Strong oxidizing agents				

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Benzoyl peroxide	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	IDLH: 1500 mg/m <sup>3</sup>
94-36-0		TWA: 5 mg/m <sup>3</sup> (vacated)	TWA: 5 mg/m <sup>3</sup>

Appropriate engineering controls

Apply technical measures to comply with the occupational exposure limits. When working with large quantities of product, provide adequate ventilation (e.g. local exhaust ventilation, fans). Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes. Use good local exhaust at processing equipment, including buffers, sanders, grinders and polishers.

#### Individual protection measures, such as personal protective equipment

Eye / face protection	Depending on the use of this product, safety glasses or goggles may be worn. If necessary, refer to US OSHA 29 CFR SS1910.133, Canadian standards or the European Standard EN 166. Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes.
Skin and body protection	If anticipated that prolonged and repeated skin contact will occur during use of this product, wear gloves for routine industrial use. If necessary, refer to US OSHA 29 CFR SS1910.138 or the appropriate standards of Canada or the EC member states.
Respiratory protection	No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per US OSHA requirement in 29 CFR SS 1910.134, or applicable US state regulations, or the appropriate standards of Canada, its provinces, EC member states or Australia. VENTILATION: Local exhaust at processing equipment.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Property pHValues Not determinedRemarks / MethodMelting point / freezing pointNot determinedBoiling point / boiling rangeNot applicableFlash point304°C / 580°FEvaporation rateNot applicableFlammability (solid, gas)Non-flammableFlammability limits in airUpper flammability limitUpper flammability limitNot applicableLower flammability limitNot applicableVapor pressureNot applicable	cal state irance	owder Odd ne Odd /hite or pink	lor lor threshold	Faint odor in bulk Not determined
Vapor densityNot applicableSpecific gravityNot determinedWater solubilityInsoluble in waterSolubility in other solventsNot determinedPartition coefficientNot determinedAutoignition temperatureNot determinedDecomposition temperatureNot determinedKinematic viscosityNot determinedDynamic viscosityNot determinedExplosive propertiesNot determinedOxidizing propertiesNot determined	g point / freezing point g point / boiling range point mation rate nability (solid, gas) nability limits in air er flammability limit er flammability limit pressure density fic gravity solubility ility in other solvents on coefficient gnition temperature nposition temperature natic viscosity nic viscosity sive properties	ot determined ot determined ot applicable 04°C / 580°F ot applicable on-flammable ot applicable ot applicable ot applicable ot applicable ot determined soluble in water ot determined ot determined	marks / Method	

# **10. STABILITY AND REACTIVITY**

<u>Reactivity</u>	Not reactive under normal conditions
Chemical stability	Stable under recommended storage conditions
Possibility of hazardous reactions	None under normal processing
Hazardous polymerization	Does not occur.
Conditions to avoid	Heating above 240°C / 464°F

#### Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Methacrylate monomer, oxides of carbon when burned

### **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposures

Product information	This product has not been tested on animals to obtain toxicology data.
Inhalation	Persons with impaired lung function or asthma-like conditions may experience additional breathing difficulties.
Eye contact	Avoid contact with eyes.
Skin contact	May be irritating to skin in some sensitive individuals, especially after prolonged or repeated contact.
Ingestion	Large amounts may cause nausea, headache, vomiting or diarrhea.

**Component information** 

Chemical Name	ORAL LD50	DERMAL LD50	INHALATION LC50
Benzoyl peroxide 94-36-0	6400 mg/kg (rat)	-	-

#### Information on physical, chemical and toxicological effects

Symptoms See Section 4.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Not classifiable as a human carcinogen (IARC group 3)

Numerical measures of toxicity – Product Not determined

The following values are calculated based on chapter 3.1 of the GHS document. ATEmix (oral) 6250 mg/kg

### **12. ECOLOGICAL INFORMATION**

**Ecotoxicity** There is no specific data available for this product; however, very large releases may be harmful or fatal to overexposed aquatic life.

Persistence and degradability	Not determined

Bioaccumulation Not determined

Mobility Not determined

Other adverse effects Not determined

### **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

**Disposal of wastes** 

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Chemical Name	California Hazardous Waste Status
Benzoyl peroxide 94-36-0	6400 mg/kg (rat)

Contaminated Packaging

For bulk only: Reuse of empty drums or containers is not recommended. Employees should be advised of the potential hazards due to residual material associated with empty containers. Dispose of all empty containers properly in accordance with federal, state and local regulations.

Chemical Name	California Hazardous Waste Status
Benzoyl peroxide	Toxic, Ignitable, Reactive
94-36-0	

### 14. TRANSPORTATION INFORMATION

DOT Not regulated

IATA Not regulated

IMDG

# Not regulated

### **15. REGULATORY INFORMATION**

### International Inventories

TSCAFor use in FDA regulated products onlyDSLListed

United States Toxic Substances Control Act, Section 8(b) Inventory Canadian Domestic Substances

#### US Federal Regulations

Chemical Name	CAS	Weight %	SARA 313 - Threshold Values %
Benzoyl peroxide	94-36-0	1	1.0

### US State Regulations

### US State Right-to-know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Benzoyl peroxide	Х	Х	Х
94-36-0			

### **16. OTHER INFORMATION**

HMIS	Health Hazards	Flammability	Physical Hazards
	1	1	0

Issue Date Revision Date Revision Note 26-Sept-2014

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. It is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet