

Page 1/10

Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/17/2015

1 Identification

- · Product identifier
- [.] Trade name: ALIKE (Powder, Shades: 59, 62, 65, 67, 77, and 81)

• Relevant identified uses of the substance or mixture and uses advised against Dental material

The product is intended for professional use.

To avoid risks for humans and environment obtain instructions.

- · Application of the substance / the mixture Manufacture of dental prothesis
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

GC America Inc. 3737 W. 127th Street Alsip, IL 60803 USA

sds@gcamerica.com

· Information department: Regulatory Affairs

Emergency telephone number:

During normal opening times (Mon.-Fri. 8:00 AM-5:00 PM CST): +1 (708) 597-0900 Transportation (CHEMTREC®) Emergency Telephone No. +1 (800) 424-9300

2 Hazard(s) identification

· Classification of the substance or mixture

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

Eye Irrit. 2B H320 Causes eye irritation.

• Additional information:

The information provided is in regards to the toxicity and hazard rating(s) of the individual component(s) in the formulation. The associated risk(s) depends on the route(s) of exposure. The hazard rating system is based entirely on the existence of the risk(s) and does not take into account the likelihood of reduced risk(s) through proper usage and handling.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Warning

• Hazard-determining components of labeling: dibutyl phthalate

(Contd. on page 2)

US

Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/17/2015

Trade name: ALIKE (Powder, Shades: 59, 62, 65, 67, 77, and 81)

(Contd. of page 1) dibenzoyl peroxide Hazard statements Harmful if inhaled. Causes skin and eve irritation. May cause an allergic skin reaction. May cause respiratory irritation. Precautionary statements Contaminated work clothing must not be allowed out of the workplace. Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: NFPA ratings (scale 0 - 4) Health = 1 Fire = 1Reactivity = 1 The substance possesses oxidizing properties. · HMIS-ratings (scale 0 - 4) HEALTH ^{*1} Health = *1 FIRE 1 Fire = 1Reactivity = 1 **REACTIVITY** 1 · Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. 3 Composition/information on ingredients · Chemical characterization: Mixtures • **Description:** Mixture of the substances listed below with nonhazardous additions.

 • Dangerous components:
 10-20%

 84-74-2
 dibutyl phthalate
 10-20%

 poly(methyl methacrylate)
 1-5%

 94-36-0
 dibenzoyl peroxide
 < 1%</td>

• Additional information:

If a substance is marked with **, then substance is a trade secret. This is allowed under OSHA's Hazard Communication Standard (HCS) as a trade secret and under GHS as Confidential Business Information (CBI).

(Contd. on page 3)

US

Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/17/2015

Trade name: ALIKE (Powder, Shades: 59, 62, 65, 67, 77, and 81)

(Contd. of page 2)

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

• After inhalation:

Supply fresh air or oxygen; call for doctor. In case of unconsciousness place patient stably in side position for transportation. Do not use mouth to mouth or mouth to nose resuscitation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly. Seek medical treatment.

• After eye contact: Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

- If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed Allergic reactions
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture

In case of fire, the following can be released: Carbon monoxide and carbon dioxide

- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
 Remove persons from danger area.
 Avoid formation of dust.
 Avoid contact with the eyes and skin.
 Wear protective clothing.
 Environmental precautions:
 Do not allow product to reach sewage system or any water course.
 Inform respective authorities in case of seepage into water course or sewage system.
 Do not allow to penetrate the ground/soil.
 In case of seepage into the ground inform responsible authorities.
 Output or the ground inform responsible authorities.
 Output of the ground inform responsible authorities.
 Output of the ground inform responsible authorities.
 Output of the ground inform responsible authoritie

(Contd. on page 4)

⁻ US

Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/17/2015

Trade name: ALIKE (Powder, Shades: 59, 62, 65, 67, 77, and 81)

(Contd. of page 3)

 Methods and material for containment and cleaning up: 		
Pick up mechani	cally.	
Prevent formation	n of dust.	
Dispose of the co	bllected material according to regulations.	

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

· Handling:

- Precautions for safe handling
 Observe instructions for use.
 Ensure good ventilation/exhaustion at the workplace.
 Prevent formation of dust.
 Do not inhale dust / smoke / mist.
- Any deposit of dust which cannot be avoided must be regularly removed.
- Avoid contact with the eyes and skin.

Open and handle receptacle with care.

- **Information about protection against explosions and fires:** Keep respiratory protective device available. Dust can combine with air to form an explosive mixture.
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Store only in unopened original receptacles.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Observe instructions for use / storage. Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

- 84-74-2 dibutyl phthalate
- PEL Long-term value: 5 mg/m³
- REL Long-term value: 5 mg/m³
- TLV Long-term value: 5 mg/m³

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Do not inhale dust / smoke / mist.

Avoid contact with the eyes and skin.

(Contd. on page 5)

US

Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/17/2015

Trade name: ALIKE (Powder, Shades: 59, 62, 65, 67, 77, and 81)

(Contd. of page 4)

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Store protective clothing separately.

• Breathing equipment: Suitable respiratory protective device recommended.

• Protection of hands: Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses

9 Physical and chemical properties

General Information	
Appearance:	
Form: Color:	Free-flowing powder
Odor:	Light Yellow to Light Brown Odorless
Odor threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	May cause fire.
Ignition temperature:	Undetermined.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	0.1 Vol %
Upper:	2.0 Vol %
Vapor pressure:	Not applicable.
Density at 20 °C (68 °F):	2.56 g/cm³ (21.363 lbs/gal)
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.

US -

Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/17/2015

Trade name: ALIKE (Powder, Shades: 59, 62, 65, 67, 77, and 81)

		(Contd. of page §
 Solubility in / Miscibility with Water: 	Insoluble.	
· Partition coefficient (n-octand	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	0.0 %	
Water:	0.3 %	
Solids content:	100.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable at ambient temperature.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Reacts with strong acids.
- Hazardous decomposition products:

Carbon monoxide Flammable gases/vapors

- Poisonous gases/vapors
- Carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

- 84-74-2 dibutyl phthalate
- Oral LD50 8000 mg/kg (rat (f+m))
- Dermal LD50 20000 mg/kg (rabbit)
- Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

(Contd. on page 7)

US

Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/17/2015

Trade name: ALIKE (Powder, Shades: 59, 62, 65, 67, 77, and 81)

(Contd. of page 6)

· IARC (International Agency for Research on Cancer)	
poly(methyl methacrylate)	3
dibenzoyl peroxide	3
titanium dioxide	28
iron(III) oxide	3
NTP (National Toxicology Program)	· · · ·
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	
· Carcinogenic categories' legend:	
IARC Group 1: The agent is carcinogenic to humans.	
IARC Group 2A: The agent is probably carcinogenic to humans.	
IARC Group 2B: The agent is possibly carcinogenic to humans.	
IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.	
IARC Group 4: The agent is probably not carcinogenic to humans.	
NTP K: Known to be human carcinogen.	
NTD D: Dessenably entisinated to be human earsing an	

NTP R: Reasonably anticipated to be human carcinogen.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

US

Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/17/2015

Trade name: ALIKE (Powder, Shades: 59, 62, 65, 67, 77, and 81)

(Contd. of page 7)

· Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

Void
Void
Void
Void
No
Not applicable.
II of Not applicable.

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
 SARA (Superfund Amendments and Reauthorization Act)

- · Section 355 (extremely hazardous substances):
- None of the ingredient is listed.
- Section 313 (Specific toxic chemical listings):
- dibutyl phthalate
- dibenzoyl peroxide
- TSCA (Toxic Substances Control Act):
- poly(methyl methacrylate)
- dibutyl phthalate
- glass, oxide, chemicals
- dibenzoyl peroxide

water

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)
- dibutyl phthalate

(Contd. on page 9)

D

US

Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/17/2015

Trade name: ALIKE (Powder, Shades: 59, 62, 65, 67, 77, and 81)

TLV (Threshold Limit Value established by ACGIH)	
dibenzoyl peroxide	A4
titanium dioxide	A
iron(III) oxide	A
NIOSH-Ca (National Institute for Occupational Safety and Health)	
titanium dioxide	
GHS label elements The product is classified and labeled according to the Globally Harmonized Hazard pictograms	System (GHS).
GHS07 Signal word Warning	
Hazard-determining components of labeling: dibutyl phthalate dibenzoyl peroxide Hazard statements Harmful if inhaled. Causes skin and eye irritation. May cause an allergic skin reaction. May cause an allergic skin reaction. May cause respiratory irritation. Precautionary statements Contaminated work clothing must not be allowed out of the workplace. Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves. If in eyes: Rinse cautiously with water for several minutes. Remove contact to do. Continue rinsing. Store locked up. Dispose of contents/container in accordance with local/regional/national/inte Chemical safety assessment: A Chemical Safety Assessment has not be	ernational regulations.
Other information	
Department issuing SDS: Regulatory Affairs Contact: Regulatory Affairs Telephone No. +1 (708) 597-0900 sds@gcamerica.com	

Date of preparation / last revision 04/20/2015 / Abbreviations and acronyms:

GHS: Globally Harmonized System of Classification and Labelling of Chemicals HCS: Hazard Communication Standard (USA) MSDS: Material Safety Data Sheet SDS: Safety Data Sheet ADN: Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways) ECHA: European Chemicals Agency OSHA: Occupational Safety and Health Administration (USA)

(Contd. on page 10)

US

Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/17/2015

Trade name: ALIKE (Powder, Shades: 59, 62, 65, 67, 77, and 81)

(Contd. of page 9) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 Sources Manufacturers' MSDSs/SDSs • OSHA (https://www.osha.gov/dts/chemicalsampling/toc/chmcas.html) TOXNET (http://toxnet.nlm.nih.gov/) ECHA (http://echa.europa.eu/) EnviChem (www.echemportal.org) · Notes: CAS Registry Number is a Registered Trademark of the American Chemical Society. CHEMTREC® is a registered service mark of the American Chemistry Council, Inc. * Data compared to the previous version altered. This version replaces all previous versions. · Disclaimer: The information contained herein is believed to be true and accurate. However, all statements,

recommendation contained herein is believed to be true and accurate. However, an statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.