

alkene, sodium salts

# Purit<sup>®</sup> Cide-It

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification			
1.1. Product Identifier			
Product Form: Mixture			
Product Name: Purit <sup>®</sup> Cide-It			
Draduat Cada, DI016			
Product Code: PI016 1.2. Intended Use of the Product			
Use of the substance/mixture: Germicide, Fungicide, Viruci	de Tuberculacido Deodorizor	Clospor Dotorgopt Ea	r professional use only
1.3. Name, Address, and Telephone of the Respon		Cleaner, Delergeni. 10	r professional use only.
Distributed by:	ISING Faity		
Biotrol			
13705 Shoreline Court East Earth City, MO 63045			
1.800.822.8550			
1.4. Emergency Telephone Number			
Infotrac: 24-Hour Number- (U.S.) 1-800-535-5053			
Outside U.S- 352-323-3500			
SECTION 2: Hazards Identification			
2.1. Classification of the Substance or Mixture			
Classification (GHS-US) Skin Corr. 1B H314			
Eye Dam. 1 H318			
Skin Sens. 1 H317 Full text of H-phrases: see section 16			
2.2. Label Elements – This label is regulated by th	e EPA under FIFRA. Refer to	Section 15.	
GHS-US Labeling			
Hazard Pictograms (GHS-US) :	$\wedge$		
Signal Word (GHS-US): DangeHazard Statements (GHS-US): H314	GHS05 GHS07 er - Causes severe skin burns and - May cause an allergic skin rea		
Precautionary Statements (GHS-US) : P260	<ul> <li>Causes serious eye damage.</li> <li>Do not breathe vapors, mist, s</li> </ul>	pray.	
P272 ·	<ul> <li>Wash hands thoroughly after h</li> <li>Contaminated work clothing m</li> </ul>	ust not be allowed out o	
P280- P301-	<ul> <li>Wear protective clothing, prote</li> <li>P330+P331 - IF SWALLOWED</li> </ul>	: Rinse mouth. Do NOT	induce vomiting.
P303+	P361+P353 - IF ON SKIN (or h		
	skin with water/shower. P340 - IF INHALED: Remove p	erson to fresh air and k	eep at rest in a position
comfo	rtable for breathing.		
	P351+P338 - IF IN EYES: Rins t lenses, if present and easy to		for several minutes. Remove
	P313 - If skin irritation or rash c		ice/attention.
	Dispose of contents/container	in accordance with loca	l, regional, national, and
	ational regulations.		
2.3. Other Hazards Other Hazards: Exposure may aggravate those with pre-e	victing avalakin or reeniratory	conditions	
2.4. Unknown Acute Toxicity (GHS-US)	Nound Eve, Skin, Or respiratory (		
No data available			
SECTION 3: Composition/Information On Ing	redients		
3.1. Substance			
Not applicable			
3.2. Mixture			
Name	Product identifier	0/	Classification (CHE UE)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-	Product identifier (CAS No) 68439-57-6	<mark>%</mark> 7 - 13	Classification (GHS-US) Skin Irrit. 2, H315
alkene sodium salts		r = 10	Skiii iiiii. 2, 11315 Eve Dam 1 H318

Eye Dam. 1, H318 Aquatic Acute 2, H401

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-Phenylphenol	(CAS No) 90-43-7	5 - 10	Comb. Dust Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 Aquatic Acute 1, H400
4-tert-Pentylphenol	(CAS No) 80-46-6	5 - 10	Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 2, H401 Aquatic Chronic 1, H410
Potassium hydroxide	(CAS No) 1310-58-3	1 - 5	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Eye Dam. 1, H318
Phosphoric acid	(CAS No) 7664-38-2	1 - 5	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318
Sodium hydroxide	(CAS No) 1310-73-2	1 - 5	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402
Sodium xylene sulfonate	(CAS No) 1300-72-7	1 - 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335

## Full text of H-phrases: see section 16

## SECTION 4: First Aid Measures

### 4.1. Description of First Aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice.

First-aid Measures After Inhalation: When symptoms occur: go into open air and ventilate suspected area. If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

First-aid Measures After Skin Contact: Remove/Take off immediately all contaminated clothing. Immediately flush skin with plenty of water for at least 60 minutes. Get medical advice/attention. Wash contaminated clothing before reuse.

First-aid Measures After Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 60 minutes. Immediately call a POISON CENTER or doctor/physician.Ingestion: Rinse mouth. Do NOT induce vomiting. Seek medical attention if a large amount is swallowed.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Seek medical attention if a large amount is swallowed.

### 4.2. Most important symptoms and effects, both acute and delayed

General: May be harmful if swallowed. Causes severe skin burns and eye damage. Exposure may produce an allergic reaction.

Inhalation: May cause respiratory irritation.

Skin Contact: Causes serious burns. May cause an allergic skin reaction.

Eye Contact: Causes serious eye damage.

Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: None known.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

### SECTION 5: Fire-Fighting Measures

### 5.1. Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### 5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Product is not flammable.

Explosion Hazard: Product is not explosive.

Reactivity: None known.

### 5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO,  $CO_2$ ). Sulfur oxides.

## SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not get in eyes, on skin, or on clothing. Do not allow product to spread into the environment.

6.1.1. For Non-emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Responders

Protective Equipment: Equip cleanup crew with proper protection.

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

#### 6.2 **Environmental Precautions**

Prevent entry to sewers and public waters.

6.3 Methods and Material for Containment and Cleaning Up

For Containment: Absorb and/or contain spill with inert material, then place in suitable container.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Cautiously neutralize spilled liquid slowly with a weak acid. After cleaning, flush traces away with water.

#### 6.4. **Reference to Other Sections**

See Section 8: Exposure Controls and Personal Protection. See Section 13. Disposal Considerations

### **SECTION 7: Handling And Storage**

#### 7.1. **Precautions for Safe Handling**

Additional Hazards When Processed: If frozen, thaw and mix thoroughly before use.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

#### 7.2 onditions for Safe Storage, Including Any Incompatibilitie

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Incompatible Products: Reaction with acids can create heat.

#### 7.3 Specific End Use(s)

Germicide, Fungicide, Virucide, Tuberculocide, Deoderizer, Cleaner, Detergent. For professional use only.

## **SECTION 8: Exposure Controls/Personal Protection**

#### 8.1. **Control Parameters**

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government.

Sodium hydroxide (1310-7	73-2)		
USA ACGIH	ACGIH Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>	
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>	
USA NIOSH	NIOSH REL (ceiling) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>	
USA IDLH	US IDLH (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>	
Potassium hydroxide (131	0-58-3)		
USA ACGIH	ACGIH Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>	
USA NIOSH	NIOSH REL (ceiling) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>	
Alberta	OEL Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>	
Phosphoric acid (7664-38-	-2)		
USA ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup>	
USA ACGIH	ACGIH STEL (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup>	
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup>	
USA NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup>	
USA NIOSH	NIOSH REL (STEL) (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup>	
USA IDLH	US IDLH (mg/m <sup>3</sup> )	1000 mg/m <sup>3</sup>	

#### 82 **Exposure Controls**

Personal Protective Equipment

Appropriate Engineering Controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

: Gloves. Protective clothing. Protective goggles. Face shield.



Materials for Protective Clothing Hand Protection Eve Protection Skin and Body Protection **Respiratory Protection** 

- Chemically resistant materials and fabrics.
- Wear chemically resistant protective gloves. Chemical safety goggles.
- Wear suitable protective clothing. Wash contaminated clothing before reuse.
- If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn.

Other Information

When using, do not eat, drink or smoke.

SECTION 9: Physical And Chemical Properties				
9.1. Information on Basic Physical an	.1. Information on Basic Physical and Chemical Properties			
Physical State	: Liquid			
Appearance	: Red			
Odor	: Mild			
Odor Threshold	: No data available			
рН	: ≈ 12.3			

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

According to rederar register / vol. 77, No. 30 / Monday,	
Eveneration rate	. Na data availabla
Evaporation rate Melting Point	: No data available : No data available
Freezing Point	: No data available
Boiling Point	: No data available
Flash Point	: No data available
Auto-ignition Temperature	: No data available
Decomposition Temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor Pressure	: No data available
Relative Vapor Density at 20 °C	: No data available
Specific Gravity	: ≈ 1.1 g/ml
Solubility	: Complete in water
Partition coefficient: n-octanol/water	: No data available
Viscosity	: No data available
Explosion Data – Sensitivity to Mechanical Impact	: Not expected to present an explosion hazard due to mechanical impact.
Explosion Data – Sensitivity to Static Discharge	: Not expected to present an explosion hazard due to static discharge.
9.2. Other Information	
No additional information available	
SECTION 10: Stability And Reactivity	
10.1 Reactivity:	
Reacts with (some) acids: causing heat release.	
10.2 Chemical Stability:	
Stable under recommended handling and storage cond	itions (see section 7).
10.3 Possibility of Hazardous Reactions:	
Hazardous polymerization will not occur.	
10.4 Conditions to Avoid:	
Direct sunlight. Extremely high or low temperatures.	
10.5 Incompatible Materials:	
Strong acids.	
_	
None known.	
SECTION 11: Toxicological Information	
11.1. Information On Toxicological Effects	
Acute Toxicity: Not classified	
Vesphene <sup>®</sup> Ilse One-Step Germicidal Detergent	
LD50 Oral Rat	4500 mg/kg
2-Phenylphenol (90-43-7)	
LD50 Oral Rat	2733 mg/kg
LD50 Dermal Rat	> 2000 mg/kg
LC50 Inhalation Rat	> 0.949 mg/l (Exposure time: 1 h)
4-tert-Pentylphenol (80-46-6)	
LD50 Oral Rat	> 2000 mg/kg
Potassium hydroxide (1310-58-3)	
LD50 Oral Rat	333 mg/kg
Sodium xylene sulfonate (1300-72-7)	
LD50 Oral Rat	> 5000 mg/kg
LD50 Dermal Rabbit	> 2000 mg/kg
Phosphoric acid (7664-38-2)	
LD50 Oral Rat	1530 mg/kg
LD50 Dermal Rabbit	2740 mg/kg
LC50 Inhalation Rat	> 850 mg/m <sup>3</sup> (Exposure time: 1 h)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-a	
LD50 Oral Rat	2310 mg/kg
LD50 Dermal Rabbit	6300 mg/kg
Skin Corrosion/Irritation: Causes severe skin burns and	
Serious Eye Damage/Irritation: Causes serious eye dam	
Respiratory or Skin Sensitization: May cause an allergic	
Germ Cell Mutagenicity: Not classified	
Teratogenicity: Not classified	
Carcinogenicity: Not classified	
2-Phenylphenol (90-43-7)	
IARC group	3
Reproductive Toxicity: Not classified	
Specific Target Organ Toxicity (Single Exposure): Not cl	
Specific Target Organ Toxicity (Repeated Exposure): No	
Aspiration Hazard: Not classified	
-	۵/7

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/Injuries After Inhalation: May cause respiratory irritation.

Symptoms/Injuries After Skin Contact: Causes skin irritation. May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: Causes serious eye damage.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: None known.

## **SECTION 12: Ecological Information**

## 121

12.1. Toxicity		
Ecology - General	: Do not contaminate ponds/waterways.	
2-Phenylphenol (90-43-7)		
LC50 Fish 1	3.4 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
EC50 Daphnia 1	1 - 2.5 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
LC 50 Fish 2	2.74 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)	
ErC50 (algae)	3.57 mg/l (72h, Selenastrum capricornutum)	
NOEC chronic fish	0.036 mg/l	
NOEC chronic algae	0.468 mg/l Selenastrum capricornutum	
4-tert-Pentylphenol (80-46-6)		
LC50 Fish 1	1.87 - 3.34 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
EC50 Daphnia 1	2.7 mg/l (Daphnia magna)	
LC 50 Fish 2	1.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio)	
ErC50 (algae)	4.2 mg/l (96h, Pseudokirchneriella subcapitata)	
NOEC chronic fish	0.1 mg/l	
Sodium hydroxide (1310-73-2)		
LC50 Fish 1	45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])	
EC50 Daphnia 1	40 mg/l	
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts (68439-57-6)		
LC50 Fish 1	4.2 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])	
EC50 Daphnia 1	4.53 mg/l (Ceriodaphnia sp)	
LC 50 Fish 2	12.2 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])	
ErC50 (algae)	5.2 mg/l (Water quality - Marine Algal Growth Inhibition Test with Skeletonema costatum and	
12.2 Development and Degradability	Phaeodactylum tricornutum)	

#### Persistence and Degradability 12.2. Vesnhene<sup>®</sup> Ilse One-Sten Germicidal Det

vesphere lise one-step Germicidal Deterger	
Persistence and Degradability	Not established. May cause long-term adverse effects in the environment.

12.3. Bioaccumulative Potential	
Vesphene <sup>®</sup> Ilse One-Step Germicidal Detergent	
Bioaccumulative Potential	Not established.
2-Phenylphenol (90-43-7)	
Log Pow	3.18
Potassium hydroxide (1310-58-3)	
Log Pow	0.65
12.4. Mobility in Soil	
No additional information quailable	

No additional information available

#### 12.5. **Other Adverse Effects** Other Information

: Avoid release to the environment.

## **SECTION 13: Disposal Considerations**

Waste treatment methods 13.1.

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

Ecology - Waste Materials: This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

## SECTION 14: Transport Information 14.1 In Accordance with DOT Not regulated for transport 14.2 In Accordance with IMDG Not regulated for transport 14.3 In Accordance with IATA Not regulated for transport 14.4 In Accordance with TDG Not regulated for transport **SECTION 15: Regulatory Information**

15.1 **US Federal Regulations** 

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS),

Skin Irrit. 2

Skin Sens. 1

STOT SE 3 Comb. Dust

H290

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

also inc	cludes other important information, including directions for	use.
	ene <sup>®</sup> Ilse One-Step Germicidal Detergent	
SARA	Section 311/312 Hazard Classes	Immediate (acute) health hazard
	ylphenol (90-43-7)	
	on the United States TSCA (Toxic Substances Control Act	) inventory
	on United States SARA Section 313	
	Section 313 - Emission Reporting	1.0 %
	Pentylphenol (80-46-6)	
	on the United States TSCA (Toxic Substances Control Act	) inventory
	n hydroxide (1310-73-2)	
	on the United States TSCA (Toxic Substances Control Act	) inventory
	sium hydroxide (1310-58-3)	
	on the United States TSCA (Toxic Substances Control Act	) inventory
	n xylene sulfonate (1300-72-7)	
	on the United States TSCA (Toxic Substances Control Act	
	horic acid (7664-38-2)	
	on the United States TSCA (Toxic Substances Control Act	
	ic acids, C14-16-alkane hydroxy and C14-16-alkene, so	
Listed	on the United States TSCA (Toxic Substances Control Act	) inventory
15.2	US State Regulations	
2-Phen	vlphenol (90-43-7)	
	California - Proposition 65 - Carcinogens List	WARNING: This product contains chemicals known to the State of California to
		cause cancer.
2-Phen	ylphenol (90-43-7)	
	Massachusetts - Right To Know List	
	New Jersey - Right to Know Hazardous Substance List	
	Pennsylvania - RTK (Right to Know) - Environmental Haza	rd List
	Pennsylvania - RTK (Right to Know) List	
	Pentylphenol (80-46-6)	
U.S M	Massachusetts - Right To Know List Pennsylvania - RTK (Right to Know) List	
	n hydroxide (1310-73-2)	
	Massachusetts - Right To Know List	
	New Jersey - Right to Know Hazardous Substance List	
	Pennsylvania - RTK (Right to Know) - Environmental Haza	rd List
U.S F	Pennsylvania - RTK (Right to Know) List	
	sium hydroxide (1310-58-3)	
	Massachusetts - Right To Know List	
	New Jersey - Right to Know Hazardous Substance List	
	Pennsylvania - RTK (Right to Know) - Environmental Haza	ra List
	Pennsylvania - RTK (Right to Know) List horic acid (7664-38-2)	
	Massachusetts - Right To Know List	
	New Jersey - Right to Know Hazardous Substance List	
	Pennsylvania - RTK (Right to Know) - Environmental Haza	rd List
U.S F	Pennsylvania - RTK (Right to Know) List	
SECTI	ON 16: Other Information, Including Date O	f Preparation Or Last Revision
Other I	nformation	: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.
CHS E	ull Text Phrases:	the OSHA Hazard Communication Standard 29 CFR 1910.1200.
	Acute Tox. 4 (Oral)	Acute toxicity (oral) Category A
		Acute toxicity (oral) Category 4 Hazardous to the aquatic environment - Acute Hazard Category 1
	Aquatic Acute 1	
	Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
	Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
	Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
	Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
	Eye Dam. 1	Serious eye damage/eye irritation Category 1
	Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
	Met. Corr. 1	Corrosive to metals Category 1
	Skin Corr. 1A	Skin corrosion/irritation Category 1A
	Skin Corr. 1B	Skin corrosion/irritation Category 1B
	Obia Init O	Claim composing (invitation Category )

Skin corrosion/irritation Category 2

Specific target organ toxicity (single exposure) Category 3

May form combustible dust concentrations in air

Skin sensitization Category 1

May be corrosive to metals

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
	ort exposure could cause serious temporary or residual injury hough prompt medical attention was given.

NFPA Fire Hazard	:	1 - Must be preheated before ignition can occur.
NFPA Reactivity Hazard	:	0 - Normally stable, even under fire exposure conditions, and are not reactive with water.

Supersedes: 20 February 2013 Date Revised: 24 April 2015

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.