

SAFETY DATA SHEET

| | 1. Product and Company I | dentification | | | |
|--|--|---|--|--|--|
| Product Identifier: | SaniTex [®] Plus Germicidal Disposable | Wipe | | | |
| Product Codes: | SANL, SANXLC2 | | | | |
| Other Means of Identification: | Not available | | | | |
| Recommended Use: | Disinfectant | Disinfectant | | | |
| Recommended Restrictions: | For Professional and Hospital Use. Not | For Professional and Hospital Use. Not for use on skin Not a baby wipe. | | | |
| Company | Crosstex 10 Ranick Road Hauppauge, New York 11788 631.582.6777 | | | | |
| Emergency Telephone Nubmer: | | | | | |
| | 2. Hazards Identific | ation | | | |
| Physical hazards | Flammable solids | Category 1 | | | |
| Health hazards | Serious eye damage/eye irritation | Category 2B | | | |
| Environmental hazards | Not determined. | | | | |
| OSHA defined hazards | None additional. | | | | |
| Label elements | | | | | |
| | | | | | |
| Signal word | Danger | | | | |
| Hazard statement | Flammable solid. Causes eye irritation. | | | | |
| Precautionary statement | | | | | |
| Prevention | Keep away from heat/sparks/open flames/hot surfaces No smoking. Wash thoroughly after handling. | | | | |
| Response | If in eyes: Rinse cautiously with water for 15 - 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media to extinguish. | | | | |
| Storage | Store away from incompatible materials. | | | | |
| Disposal | Dispose of waste and residues in accord | dance with local authority requirements. | | | |
| Hazard(s) not otherwise classified (HNOC) | None known. | | | | |
| Supplemental information | Not applicable. | | | | |

Mixture

| 3. Composition/Information on Ingr | edients |
|------------------------------------|---------|
|------------------------------------|---------|

| Chemical name | Common name and synonyms | CAS number | % |
|---|--|------------|-------|
| Isopropanol | | 67-63-0 | 14.85 |
| Benzyl-C12-18-alkyldimethy ammonium chlorides | /I | 68391-01-5 | 0.125 |
| Quaternary ammonium com C12-18-alkyl [(ethylphenyl) dimethyl, chlorides | | 68956-79-6 | 0.125 |
| Composition comments | Composition shown on this Safety Data Sheet may contain information additional to that on the product label. This is due to different label requirements in different countries. | | |
| | 4. First Aid Measures | | |

Inhalation

develop.

Not a normal route of exposure. If inhaled, remove to fresh air. Get medical attention if symptoms

| | | SaniTex® Plus Germicidal Disposable Wipe SDS |
|--|---|--|
| Skin contact | If irritation develops, get medical attention. | |
| Eye contact | Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. | |
| Ingestion | Not a likely route of exposure. If ingestion does occur, call a poison control center or doctor for treatment advice. | |
| Most important symptoms/effects, acute and delayed | Symptoms may include stinging, tearing, redness, | swelling, and blurred vision. |
| Indication of immediate medical attention and special treatment needed | Treat patient symptomatically. | |
| General information | Ensure that medical personnel are aware of the m protect themselves. Avoid contact with eyes. | aterial(s) involved, and take precautions to |
| | 5. Fire Fighting Measures | |
| Suitable extinguishing media | Water. Water Fog. Dry chemical powder. Carbon | dioxide (CO2). |
| Unsuitable extinguishing media | None known. | |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be for | med. |
| Special protective equipment and precautions for firefighters | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. | |
| Fire-fighting equipment/instructions | In case of fire and/or explosion do not breathe fur spray. Move product from fire area if you can do s | |
| Specific methods | Use standard firefighting procedures and consider products from fire area if you can do so without ris breathe fumes. | |
| General fire hazards | Flammable solid. | |
| Hazardous combustion products | May include and are not limited to: Oxides of nitro | gen. Oxides of carbon. Chloride compounds |
| Explosion data | | |
| Sensitivity to mechanical impact | Not available. | |
| Sensitivity to static discharge | Not available. | |
| | 6. Accidental Release Measure | 25 |
| Personal precautions, protective equipment and emergency procedures | Wear appropriate protective equipment and clothin For personal protection, see section 8 of the SDS. | |
| Methods and materials for containment and cleaning up | Eliminate all ignition sources (no smoking, flares, s and discard towelette. For waste disposal, see see | |
| Environmental precautions | Avoid discharge into drains, water courses or onto | the ground. |
| | 7. Han | ndling and Storage |
| Precautions for safe handling | Do not use or store near heat or open flame. Use according to package label instructions. Use good industrial hygiene practices in handling this material. Wear appropriate personal protective equipment. Wash thoroughly after handling. When using do not eat or drink. | |
| Conditions for safe storage, including any incompatibilities | Do not contaminate water, food or feed by storage When not in use keep center cap of lid closed to p Keep out of reach of children. Store away from incompatible materials (see Sect | prevent moisture loss. |
| | 8. Exposure Controls/Personal Prot | tection |
| Occupational exposure limits | | |
| US. OSHA Table Z-1 Limits f Components | or Air Contaminants (29 CFR 1910.1000) Type | Value |
| Isopropanol (CAS 67-63-0) | PEL | 980 mg/m3 |
| | | |

| Components | Тур | 9 | | Value |
|-----------------------------------|---|---------------------|-----------------|---|
| | | | | 400 ppm |
| US. ACGIH Threshold Lim | it Values | | | |
| Components | Тур | 9 | | Value |
| Isopropanol (CAS 67-63-0) | STE | L | | 400 ppm |
| , | TWA | A | | 200 ppm |
| US. NIOSH: Pocket Guide | to Chemical Hazards | | | |
| Components | Type | 9 | | Value |
| Isopropanol (CAS 67-63-0) | STE | | | 1225 mg/m3 |
| | 012 | | | 500 ppm |
| | TWA | A | | 980 mg/m3 |
| | | | | 400 ppm |
| ological limit values | | | | |
| ACGIH Biological Exposu | re Indices | | | |
| Components | Value | Determinant | Specimen | Sampling Time |
| Isopropanol (CAS 67-63-0) | 40 mg/l | Acetone | Urine | * |
| * - For sampling details, ple | ase see the source doo | ument | | |
| | | | at listed here | do not have established limit values for |
| posure guidelines | ACGIH or OSHA P | | iot listed here | do not have established limit values for |
| opropriate engineering ontrols | Ensure adequate v | entilation. | | |
| dividual protection measure | s, such as personal p | rotective equipme | ent | |
| Eye/face protection | Not needed under | | ons. | |
| | Follow label directi Wear gear as need | • | | |
| Skin protection | Wear gear as need | icu. | | |
| Hand protection | Not usually needed | 1 | | |
| | Follow label directi | | | |
| Other | Follow label directi | ons carefully. | | |
| Respiratory protection | Where exposure g | uideline levels may | be exceeded, | use an approved NIOSH respirator. |
| Thermal hazards | Not available. | | | |
| eneral hygiene onsiderations | | | | andling the product. Handle in accordance wi sing do not smoke. When using do not eat or |
| | 9. Physic | al and Chemic | al Properti | es |
| opearance | Liquid saturated or | wipe | | |
| nysical state | Solid. | • | | |
| - | Pre-moistened tow | | | |

| Appearance | Liquid saturated on wipe |
|--|---|
| Physical state | Solid. |
| Form | Pre-moistened towelette. |
| Color | White |
| Odor | Mild alcohol. |
| Odor threshold | Not available. |
| рН | 11 - 12 (liquid) |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not available. |
| Pour point | Not available. |
| Specific gravity | 0.97 (liquid) (H2O = 1) |
| Partition coefficient (n-octanol/water) | Not available. |
| Flash point | 95.0 °F (35.0 °C) Tag Closed Cup (Liquid) |
| Evaporation rate | Not available. |
| | |

| | | SaniTex® Plus Germicidal Disposable Wipe SDS | | |
|--|---|--|--|--|
| Flammability (solid, gas) | Flammable solid. | | | |
| Upper/lower flammability or exp | losive limits | | | |
| Flammability limit - lower (%) | Not available. | | | |
| Flammability limit - upper (%) | Not available. | | | |
| Explosive limit - lower (%) | Not available. | | | |
| Explosive limit - upper (%) | Not available. | | | |
| Vapor pressure | Not available. | | | |
| Vapor density | Not available. | | | |
| Relative density | Not available. | | | |
| Solubility(ies) | Towel is not soluble in water | | | |
| Auto-ignition temperature | Not available. | | | |
| Decomposition temperature | Not available. | | | |
| Viscosity | Not available. | | | |
| Other information | | | | |
| Flash point class | Flammable IC | | | |
| | 10. Stability and Reactivity | | | |
| Reactivity | Do not mix with incompatible materials. | | | |
| Possibility of hazardous reactions | Hazardous polymerization does not occur. | | | |
| Chemical stability | Stable under recommended storage conditions. | Stable under recommended storage conditions. | | |
| Conditions to avoid | Contact with incompatible materials. Do not mix with other chemicals. Avoid high temperatures. Heat, flames and sparks. | | | |
| Incompatible materials | Do not use on natural marble, windows, unpainted wood or brass, clear plastic or colored grout. Oxidizing agents. Acids. Anionic surfactants. Soaps. Bleach solutions. | | | |
| Hazardous decomposition products | May include and are not limited to: Chloride compounds Hydrogen chloride. Oxides of nitrogen. Oxides of carbon. | | | |
| | 11. Toxicological Information | | | |
| Routes of exposure | Eye, Skin contact, Skin absorption, Inhalation, Inge | stion. | | |
| Information on likely routes of e | | | | |
| Ingestion | Health injuries are not known or expected under no | rmal use. | | |
| Inhalation | Health injuries are not known or expected under no | | | |
| Skin contact | Non-irritating based on test data. | | | |
| Eye contact | Mildly irritating to eyes based on test data. | | | |
| Symptoms related to the physical, chemical and toxicological characteristics | Exposed individuals may experience eye tearing, redness, and discomfort. | | | |
| Information on toxicological effe | ects | | | |
| Acute toxicity | | | | |
| Product | Species | Test Results | | |
| Sani-Cloth Plus Germicidal Dispos | sable Cloth | | | |
| Acute | | | | |
| Dermal | | | | |
| LD50 | Rabbit > 2000 mg/kg, Based on OPPTS Test data | | | |
| Inhalation | | | | |
| LC50 | Rat | > 2 mg/l/4h, Based on OPPTS Test data | | |
| <i>Oral</i> LD50 | Rat > 5000 mg/kg, Based on OPPTS Test dat | | | |
| | | | | |

| Components | Species | SaniTex® Plus Germicidal Disposable Wipe SDS Test Results |
|---|--|---|
| Benzyl-C12-18-alkyldimethyl amm | onium chlorides (CAS 68391-01-5) | |
| Acute | | |
| Dermal | 5.4 | |
| LD50 | Rat | 2000 mg/kg |
| | | 1420 mg/kg |
| Inhalation | | |
| LC50 | Not available | |
| Oral | Maura | |
| LD50 | Mouse | 150 mg/kg |
| | Rat | 240 mg/kg |
| Isopropanol (CAS 67-63-0) | | |
| Acute | | |
| Dermal | | 40000 " |
| LD50 | Rabbit | 12800 mg/kg |
| Inhalation | | 40070 #/4 |
| LC50 | Rat | 16970 mg/l/4h |
| Oral | _ | |
| LD50 | Dog | 4797 mg/kg |
| | Mouse | 3600 mg/kg |
| | Rabbit | 5030 mg/kg |
| | Rat | 4396 mg/kg |
| Acute Dermal LD50 Inhalation LC50 | ls, C12-18-alkyl [(ethylphenyl) methyl] dimethyl, c Not available Not available | niondes (CAS 66956-79-6) |
| Oral | | |
| LD50 | Rat | 250 mg/kg |
| Skin corrosion/irritation | Non-irritating based on test data. Toxicity Cate Skin Irritation Study. Classified based on OPP/ Comparison. | gory IV according to the OPPTS 870.2500 Acute GHS Classification Criteria and Labeling |
| Exposure minutes | Not available. | |
| Erythema value | Not available. | |
| Oedema value | Not available. | |
| Serious eye damage/eye irritation | Causes eye irritation. Toxicity Category III accord Study. Classified based on OPP/GHS Classific | ording to the OPPTS 870.2500 Acute Eye Irritation ation Criteria and Labeling Comparison. |
| Corneal opacity value | Not available. | |
| Iris lesion value | Not available. | |
| Conjunctival reddening value | Not available. | |
| Conjunctival oedema value | Not available. | |
| Recover days | Not available. | |
| Respiratory or skin sensitizatio | n | |
| Respiratory sensitization | Not available. | |
| Skin sensitization | Not a skin sensitizer based on test data. | |
| Germ cell mutagenicity | Non-hazardous by WHMIS/OSHA criteria. | |

Germ cell mutagenicity Non-hazardous by WHMIS/OSHA criteria. Non-hazardous by WHMIS/OSHA criteria. Mutagenicity Non-hazardous by WHMIS/OSHA criteria. Carcinogenicity Non-hazardous by WHMIS/OSHA criteria. **Reproductive toxicity** Teratogenicity Non-hazardous by WHMIS/OSHA criteria. Specific target organ toxicity -Not classified.


single exposure

| Specific target organ toxicity - repeated exposure | Not classified. |
|--|---------------------------------------|
| Aspiration hazard | Not classified. |
| Chronic effects | Non-hazardous by WHMIS/OSHA criteria. |
| Further information | Not available. |
| Name of Toxicologically Synergistic Products | Not available. |

| | | 12. Ecological Information | |
|---|---|--|--|
| Ecotoxicity | Components of this product have been identified as having potential environmental concerns. See below | | |
| Components | | Species | Test Results |
| Isopropanol (CAS 67-63-0) | | | |
| Algae | IC50 | Algae | 1000 mg/L, 72 Hours |
| Crustacea | EC50 | Daphnia | 13299 mg/L, 48 Hours |
| Aquatic | | | |
| Fish | LC50 | Bluegill (Lepomis macrochirus) | > 1400 mg/l, 96 hours |
| Persistence and degradability | No data i | s available on the degradability of this prod | duct. |
| Bioaccumulative potential | No data a | available. | |
| Mobility in soil | No data a | available. | |
| Mobility in general | Not avail | able. | |
| Other adverse effects | | adverse environmental effects (e.g. ozone , endocrine disruption, global warming pote | |
| | | 13. Disposal Considerations | |
| Disposal instructions | Dispose Follow co trash. Do | of used towelette in accordance with local ontainer label directions carefully. Do not r | euse towelette. Dispose of used towelette in . Do not resue or refill this container. Triple |
| Local disposal regulations | Dispose in accordance with all applicable regulations. | | |
| Hazardous waste code | Assign as required. | | |
| Waste from residues / unused products | Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). | | |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is emptied. | | |
| | | 14. Transport Information | |
| U.S. Department of Transportat | tion (DOT) | | |
| Basic shipping requiremen | nts: | | |
| UN number | UN3175 | | |
| Proper shipping name | | ntaining flammable liquid, n.o.s. (Isopropa | nol) |
| Hazard class | 4.1 | | |
| Packing group | | | |
| Packaging exceptions Transportation of Dangerous G | | nited quantity (par. 173.151) | |
| Basic shipping requiremen | - | - Vanavaj | |
| | | | |

| Basic snipping requirement | Its. |
|----------------------------|--|
| UN number | UN3175 |
| Proper shipping name | SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Isopropanol) |
| Hazard class | 4.1 |
| Packing group | ll |
| Packaging exceptions | <1kg limited quantity |





| Canadian federal regulations | This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. |
|--|---|
| Canada NPRI VOCs with Ad | ditional Reporting Requirements: Mass reporting threshold/Identification Number |
| Isopropanol (CAS 67-63- Canada WHMIS Ingredient E | |
| Isopropanol (CAS 67-63- | 0) 1 % |
| WHMIS classification | Exempt - Registered product - (DIN 02242608) |
| US federal regulations | This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. |
| | This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use. |
| | PRECAUTIONARY STATEMENTS: |
| | Hazards to humans and Domestic animals. CAUTION: Causes moderate eye irritation. Avoid contact with eyes and clothing. Wash thoroughly with soap and water after handling and before eating and drinking, chewing gum, using tobacco or using toilet. |
| | EPA Reg. # 9480-6 |
| Isopropanol (CAS 67-63- | Cection 313 - Toxic Chemical: De minimis concentration 0) 1.0 % Section 313 - Toxic Chemical: Listed substance |
| Isopropanol (CAS 67-63- | |
| | Notification (40 CFR 707, Subpt. D) |
| Not regulated. CERCLA Hazardous Substa | nce List (40 CFR 302.4) |
| Isopropanol (CAS 67-63- | |
| | e Organic Compounds: Listed substance |
| Isopropanol (CAS 67-63- | 0) Listed. |
| | 112(r) Accidental Release Prevention (40 CFR 68.130) |
| Not regulated. Clean Air Act (CAA) Section | 112 Hazardous Air Pollutants (HAPs) List |
| Not regulated. | |
| - | authorization Act of 1986 (SARA) |
| Hazard categories | Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No |
| SARA 302 Extremely hazardous substance | No |
| SARA 311/312 Hazardous chemical | No |


15. Regulatory Information

| SARA 313 (TRI reporting) Chemical name | | CAS number | Sani Tex® Plus Germicidal Disposable Wipe SDS % by wt. | |
|---|---|----------------------------------|--|--|
| | | | | |
| Other federal regulations | | | | |
| Safe Drinking Water Act (SDWA) | Not regulated. | | | |
| Food and Drug Administration (FDA) | Not regulated. | | | |
| US state regulations | This product is not subject | to warning labeling u | nder the California Proposition 65 regulation. | |
| US - California Haza | rdous Substances (Director's) | : Listed substance | | |
| Isopropanol (CAS US - California Prop | S 67-63-0) osition 65 - Carcinogens & Re | Listed. productive Toxicity (| (CRT): Listed substance | |
| Not listed. US - Illinois Chemica | al Safety Act: Listed substance | e | | |
| Isopropanol (CAS 67-63-0) US - Louisiana Spill Reporting: Listed substance | | Listed. | | |
| Isopropanol (CAS 67-63-0) US - Minnesota Haz Subs: Listed substance | | Listed. | | |
| Isopropanol (CAS US - New Jersey RT | S 67-63-0) K - Substances: Listed substa | Listed. nce | | |
| Isopropanol (CAS US - Texas Effects S | S 67-63-0) s <mark>creening Levels: Listed subs</mark> t | Listed. ance | | |
| Benzyl-C12-18-alkyldimethyl ammonium chloride (CAS 68391-01-5) | | s Listed. | | |
| Isopropanol (CAS US. Massachusetts | S 67-63-0) RTK - Substance List | Listed. | | |
| Isopropanol (CAS US. Pennsylvania R | S 67-63-0) FK - Hazardous Substances | Listed. | | |
| Isopropanol (CAS 67-63-0) US. Rhode Island RTK | | Listed. | | |
| Isopropanol (CAS 67-63-0) | | Listed. | | |
| Inventory status | | | | |
| Country(s) or region | Inventory name | | On inventory (yes/no)* | |
| Canada | Domestic Substances List | (DSL) | Yes | |
| Canada | Non-Domestic Substances | List (NDSL) | No | |

| Canada | Non-Domestic Substances List (NDSL) | No | | |
|--|---|-----|--|--|
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes | | |
| *A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) | | | | |

| LEGEND | | |
|----------|---|--|
| Severe | 4 | |
| Serious | 3 | |
| Moderate | 2 | |
| Slight | 1 | |
| Minimal | 0 | |

16. Other Information



The information contained in this document is correct to the best of our knowledge and is based on current information at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release. Crosstex makes no guarantees or warranty to the validity, accuracy, or currency and shall not be liable or responsible in any way for use of either this information or the materials described.

Disclaimer

| Further information | For any questions surrounding this SDS, please contact the supplier/manufacturer listed on the first page of the document. | |
|---------------------|---|--|
| | It is a violation of Federal law to use this product in a manner inconsistent with its labeling. | |
| | Not for use on skin. Not a baby wipe. For use on hard surfaces only. Do not use on natural marble, windows, unpainted wood, brass, clear plastic or coloured grout. | |
| | Revision 0. Bulk Liquid # 4BQ89001. | |
| Prepared by | Dell Tech Laboratories, Ltd. Phone: (519) 858-5021 | |
| Other information | This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS). This SDS conforms to the ANSI Z400.1/Z129.1-2010 Standard. | |