according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.08.2015

DEFEND+PLUS - SO - 9000

Page 1 of 7

SECTION 1 : Identification of the substance/mixture and of the supplier			
Product name :	DEFEND+PLUS - SO - 9000		
Manufacturer/Supplier Trade name:	DEFEND+PLUS - SO - 9000		
Manufacturer/Supplier Article number:	DEFEND+PLUS - SO - 9000		
Recommended uses of the product and uses restrictions on use: Hard surface cleaner and disinfecting			

wipes specially formulated with a solution which is safe to use on hard surfaces.No significant hazards will arise from the intended and correct use of this product. See product label or insert for intended uses.

#### Manufacturer Details:

Mydent International 80 Suffolk Court Hauppauge, New York 11788

#### **Emergency telephone number:**

Chemtrec 1.800.424.9300

## **SECTION 2 : Hazards identification**

### Classification of the substance or mixture:

Flammable Flammable solid, category 3

Flammable Solid 3

Signal word :Warning

#### Hazard statements:


Flammable liquid and vapor **Precautionary statements**: If medical advice is needed, have product container or label at hand Read label before use Keep container tightly closed Use explosion-proof electrical/ventilating/light/equipment Keep away from heat/sparks/open flames/hot surfaces. No smoking Ground/bond container and receiving equipment Use only non-sparking tools Take precautionary measures against static discharge Wear protective gloves/protective clothing/eye protection/face protection IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower In case of fire: Use agents recommended in section 5 for extinction Store in a well ventilated place. Keep container tightly closed Dispose of contents and container as instructed in Section 13

# **Other Non-GHS Classification**:



## Safety Data Sheet according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.08.2015



# SECTION 3 : Composition/information on ingredients

Ingredients:		
CAS 67-63-0	Isopropanol	41.58 %
CAS Trade Secret	Glycol Ether	1-5 %
CAS Trade Secret	Aliphatic Polymer	1-5 %
CAS 68391-01-5	Alkyl (C12,C14,C16) Dimethyl Benzyl Ammonium Chloride	0.12 %
CAS 85409-23-0	Alkyl Dimethyl Ethyl Benzyl Ammonium Chloride	0.12 %
Percentages are by weight		

# **SECTION 4 : First aid measures**

## **Description of first aid measures**

After inhalation: Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. Seek medical advice if discomfort or irritation persists.

After skin contact: Wash affected area with soap and water. Rinse/flush exposed skin gently using water for 15-20 minutes. Seek medical attention if irritation persists or if concerned.

After eye contact: Protect unexposed eye. Immediately flush eyes with water for at least 15 minutes. Immediately get medical assistance.

After swallowing: Dilute mouth with water or milk after rinsing. Immediately get medical assistance. Induce vomiting if directed to do so by medical personnel.

# Most important symptoms and effects, both acute and delayed:

Shortness of breath.Irritation.Nausea.Headache.;

## Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician. Physician should treat symptomatically.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.08.2015

DEFEND+PLUS - SO - 9000

#### **Extinguishing media**

**Suitable extinguishing agents:** Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.Water spray can be used to dilute spills to nonflammable mixtures.

### For safety reasons unsuitable extinguishing agents:

#### Special hazards arising from the substance or mixture:

#### Advice for firefighters:

Protective equipment: Wear protective eyeware, gloves, and clothing. Refer to Section 8.

**Additional information (precautions):** Ensure adequate ventilation. Avoid contact with skin, eyes, and clothing. Do not inhale gases, fumes, dust, mist, vapor, and aerosols.

#### **SECTION 6 : Accidental release measures**

### Personal precautions, protective equipment and emergency procedures:

Keep away from ignition sources. Protect from heat.Ensure that dust-handling systems (exhaust ducts, dust collectors, vessels, and processing equipment) are designed to prevent the escape of dust into the work area.

### **Environmental precautions:**

Prevent from reaching drains, sewer or waterway. Should not be released into environment.

## Methods and material for containment and cleaning up:

Use spark-proof tools and explosion-proof equipment.Have fire extinguishing agent available in case of fire. Always obey local regulations.Collect liquids using vacuum or by use of absorbents. Place into properly labeled containers for recovery or disposal. Remove all sources of ignition. Contain spill then collect.Do not flush to sewer.Absorb with a noncombustible absorbent material such as sand or earth and containerize for disposal. Refer to Section 13.Ventilate area of spill.

## **Reference to other sections:**

### **SECTION 7 : Handling and storage**

### Precautions for safe handling:

Do not eat, drink, smoke, or use personal products when handling chemical substances. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes, and clothing. Empty containers retain product residue and can be dangerous.

## Conditions for safe storage, including any incompatibilities:

Store in a cool location. Store securely in flammable storage area away from sources of ignition. Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Keep container tightly sealed.Protect from freezing and physical damage.Store away from incompatible materials.

#### **SECTION 8 : Exposure controls/personal protection**





**Control Parameters:** 

67-63-0, Isopropanol, ACGIH: 400 ppm STEL; 200 ppm TWA 67-63-0, Isopropanol , NIOSH: 500 ppm STEL; 1225 mg/m3 STEL 67-63-0, Isopropanol , NIOSH: 400 ppm TWA; 980 mg/m3 TWA

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.08.2015 DEFEND+PLUS - SO - 9000

Appropriate Engineering controls:	Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.
Respiratory protection:	Not required under normal conditions of use. Use suitable respiratory protective device when high concentrations are present.
Protection of skin:	Select glove material impermeable and resistant to the substance.Select glove material based on rates of diffusion and degradation.
Eye protection:	Safety glasses with side shields or goggles.
General hygienic measures:	Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.Perform routine housekeeping.Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

# **SECTION 9 : Physical and chemical properties**

Appearance (physical state,color):	Clear colorless liquid	Explosion limit lower: Explosion limit upper:	2% 12.7%
Odor:	Alcohol	Vapor pressure:	Approx 33 at 20°C
Odor threshold:	Not Available	Vapor density:	Not Available
pH-value:	Not Available	Relative density:	0.88 g/mL at 25°C
Melting/Freezing point:	Below -88°C	Solubilities:	Infinite solubility
Boiling point/Boiling range:	Approx 82°C	Partition coefficient (n- octanol/water):	log Pow: 0.05
Flash point (closed cup):	82F/27C	Auto/Self-ignition temperature:	425.0°C
Evaporation rate:	3.0	Decomposition temperature:	Not Available
Flammability (solid,gaseous):	Flammable	Viscosity:	a. Kinematic:Not Available b. Dynamic: Not Available
Density: Not Available			

## SECTION 10 : Stability and reactivity

Reactivity: None under normal processing. Test small inconspicuous area.

Chemical stability: No decomposition if used and stored according to specifications. Stable under normal conditions.

Possible hazardous reactions: Flammable. Used empty containers may contain product gases which form explosive mixtures with air. Can form explosiv e mixtures in air if heated above flash point and/or when sprayed or atomised.

Conditions to avoid: Incompatible materials.

Incompatible materials: Strong oxidizers, heat, sparks, open flames. Will attack some forms of rubber, plastics and coatings. May react with metallic aluminum and generate hydrogen gas.

Hazardous decomposition products: Toxic oxides of carbon, acrid and irritating fumes.

### **SECTION 11 : Toxicological information**

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.08.2015

DEFEND+PLUS - SO - 9000

Acute Toxicity:				
Oral:	67-63-0	LD50 Rat - 5,045 mg/kg		
Inhalation:	67-63-0	LC50- Rat - 8 h - 16000 ppm		
Dermal:	67-63-0	LD50 - Rabbit - 12,800 mg/kg		
Chronic Toxicity: No additional information.				
Corrosion Irritation: No additional information.				
Sensitization:		No additional information.		
Single Target Organ (STOT):		No additional information.		
Numerical Measures:		No additional information.		
Carcinogenicity:		No additional information.		
Mutagenicity:		No additional information.		
Reproductive Toxicity:		No additional information.		

**SECTION 12 : Ecological information** 

## Ecotoxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 9,640.00 mg/l - 96 h: 67-63-0 Toxicity to daphnia and other aquatic invertebrates EC50 - Daphnia magna (Water flea) - 5,102.00 mg/l - 24 h: 67-63-0

Toxicity to algae EC50 - Desmodesmus subspicatus (green algae) - > 2,000.00 mg/l - 72 h EC50 - Algae - > 1,000.00 mg/l - 24 h: 67-63-0

Persistence and degradability:

**Bioaccumulative potential**:

**Mobility in soil**: Aqueous solution has high mobility in soil.

**Other adverse effects**: Isopropanol has acute toxicity with effects of death in animals and low growth rates and death in plants. Chronic toxic effects, may be shortened life span, lower fertility, reproductive problems, and changes in appearance and/or behavior in animals

## **SECTION 13 : Disposal considerations**

### Waste disposal recommendations:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Remove all sources of ignition. Do not flush to sewer.Have fire extinguishing agent available in case of fire. Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification.

## **SECTION 14 : Transport information**

UN-Number Limited Quantity

## **UN proper shipping name**

Ltd Qty, Ground Transportation Class 55 Cleaning Compound wipes

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.08.2015

Page 6 of 7

DEFEND+PLUS - SO - 9000

Transport hazard class(es) Packing group:None Environmental hazard: Transport in bulk: Special precautions for user:

**SECTION 15 : Regulatory information** 

## **United States (USA)**

## SARA Section 311/312 (Specific toxic chemical listings):

Acute, Chronic, Fire

## SARA Section 313 (Specific toxic chemical listings):

67-63-0 Isopropanol

RCRA (hazardous waste code):

None of the ingredients is listed

### TSCA (Toxic Substances Control Act):

All ingredients are listed.

## CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients is listed

## Proposition 65 (California):

# Chemicals known to cause cancer:

None of the ingredients is listed

### Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed

### Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed

### Chemicals known to cause developmental toxicity:

None of the ingredients is listed

## Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients is listed

## Canadian NPRI Ingredient Disclosure list (limit 1%):

67-63-0 Isopropanol

## **SECTION 16 : Other information**

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.Note:. The responsibility to provide a safe workplace remains with the user.The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment.The information contained herein is,

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.08.2015

Page 7 of 7

DEFEND+PLUS - SO - 9000

to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use. KEEP OUT OF REACH OF CHILDREN.

WARNING - PRECAUTIONARY STATEMENTS: Hazard to Humans and Domestic Animals. WARNING: Causes substantial but temporary eye injury.

### GHS Full Text Phrases:

## Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods PNEC: Predicted No-Effect Concentration (REACH) CFR: Code of Federal Regulations (USA) SARA: Superfund Amendments and Reauthorization Act (USA) RCRA: Resource Conservation and Recovery Act (USA) TSCA: Toxic Substances Control Act (USA) NPRI: National Pollutant Release Inventory (Canada) DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH)

Effective date : 01.08.2015 Last updated : 05.05.2015 SL107